

# Mechanical Music Registry Project

## Wurlitzer Coin Piano and Photoplayer Database Report

### Indexed by Serial Number

Sunday, June 25, 2017

Originating data for this listing collected and compiled by Art Reblitz  
Copyright © 2017 by Mechanical Music Press, et, al. - All Rights Reserved

Total items listed in this report: 172

Style Notes: 1. A tilde (~) in a number field represents a missing or unknown number.

2. Wurlitzer Direct Drive Gear (DDG): If and when available, only basic information regarding the Direct Drive Gear is shown in this report. For more detailed and comprehensive information please see the "Direct Drive Gear Project Report."

3. The top-line column heading for the roll mechanism (which shows only basic roll frame characteristics) is designed to accommodate both single and duplex (side-by-side) systems. For duplex systems, such as often used in photoplayers and for which each roll mechanism has its own serial number, the first and second serial numbers will be separated by a dash (i.e. "xxxx-xxxx"). There is also a provision that permits a question mark to follow a serial number when its veracity is questionable.

| S/N   | Style Description | Case Style No. | Case Finish | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|---|-------------------|----------------|-------------|-------------|---|-------------|-----------|
| ~~~~~   | IX 65-Note Piano  | --             | -----       | -----       | Unknown roll mechanism.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.  |                   |                |             |             |   |             |           |
| Plays 65-Note APP music rolls.  |                   |                |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, SA-1B (53-tooth Gear, Style-B enclosed). 7-1/4" high. Note: Small gear standard. 2-1/4" O.D. fiber gear on vertical shaft.   |                   |                |             |             |   |             |           |
| 9121  | Tonophone         | 1              | Golden Oak  | Gold/Blk.   | Wooden Pinned Cylinder.                     | ----        | 1904      |
| Instrumentation: Pinned cylinder operated piano.  |                   |                |             |             |   |             |           |
| Roll Mechanism: Wooden pinned 10-tune cylinder. Plays Pinned cylinders.   |                   |                |             |             |   |             |           |
| Pump Type: Flat belt driven movable center-board vacuum bellows, attached reservoir with coil spring adjusted spill valve.  |                   |                |             |             |   |             |           |
| Art Glass: Rectangular center beveled clear glass window flanked by two square beveled clear glass windows.   |                   |                |             |             |   |             |           |
| Comments: Top half of piano plate is gold; bottom half below keyboard is black.   |                   |                |             |             |   |             |           |
| 9233  | Pianino           | 1              | -----       | Gold        | 5 Tune (wood sides).                        | ----        | 1904      |
| Roll Mechanism: 5-tune roll frame, wooden sides, windmotor drive. Plays 44-Note Pianino music rolls.  |                   |                |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley.   |                   |                |             |             |   |             |           |
| Comments: From Wurlitzer Pianino Service Book. Serial number same as a Tonophone in the de Kleist Journals. S/N shown may be a random number generated by the Wurlitzer graphics department for the service book. |                   |                |             |             |   |             |           |
| 9458  | Pianino           | --             | -----       | Gold        | 5 Tune (wood sides).                        | ----        | 1904      |
| Instrumentation: 44-note piano.   |                   |                |             |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, wooden sides, windmotor drive. Plays 44-Note Pianino music rolls.  |                   |                |             |             |   |             |           |
| Pump Type: Early flat belt drive, movable center-board bellows, attached reservoir with coil spring adjustable spill valve.   |                   |                |             |             |   |             |           |
| Comments: Shipped 12/9/1904.  |                   |                |             |             |   |             |           |

| S/N   | Style Description | Case Style |               | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|---|-------------------|------------|---------------|-------------|---|-------------|-----------|
|   |                   | No.        | Case Finish   |             |   |             |           |
| 9478  | Pianino           | --         | Oak           | Gold        | 5 Tune (wood sides).                        | ----        | 1905      |
| Instrumentation: 44-note piano, with manually operated muffler rail.  |                   |            |               |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, wooden sides, windmotor drive. Rewind Trip: Swivel lever lock and cancel; large pneumatic to spoolbox transmission. Plays 44-Note Pianino music rolls.   |                   |            |               |             |   |             |           |
| Pump Type: Early flat belt drive, movable center-board bellows, attached reservoir with coil spring adjustable spill valve.   |                   |            |               |             |   |             |           |
| Coin Switch: Early coin chute/magazine in which coin makes electrical contact.  |                   |            |               |             |   |             |           |
| Art Glass: Clear beveled oval glass window.   |                   |            |               |             |   |             |           |
| Comments: Shipped 1/3/1905. Keyboard style piano case, with coin drop on right front. Coin detector magazine visible through window.  |                   |            |               |             |   |             |           |
| 9485  | Pianino           | --         | Oak           | Gold        | 5 Tune (wood sides).                        | ----        | 1905      |
| Instrumentation: 44-note piano with mandolin attachment.  |                   |            |               |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, wooden sides, windmotor drive. Rewind Trip: Swivel lever lock and cancel; large pneumatic to spoolbox transmission. Plays 44-Note Pianino music rolls.   |                   |            |               |             |   |             |           |
| Coin Entry: Brass plate, horizontal slot. Coin Switch: Tonophone like device for single coin - no magazine.   |                   |            |               |             |   |             |           |
| Art Glass: Clear beveled glass window oval window.  |                   |            |               |             |   |             |           |
| Comments: Keyboard piano style case (which has the silhouette of a miniature keyboard piano with the fall board closed). Wooden tracker bar attached to roll frame by machine screws. Original Tonophone style brass coin drop mounted on right side of case, which was later relocated to the front. Don Teach replicated the original drop and reinstalled it in the original hole on the side. Original pump and coin mechanism missing; fitted with modern replacements. No lights. Shipped 2/5/1905.   |                   |            |               |             |   |             |           |
| 10207   | Pianino           | --         | Quartered Oak | Gold        | 5 Tune (wood sides).                        | ----        | ----      |
| Instrumentation: 44-note piano. Wood block added.   |                   |            |               |             |   |             |           |
| Stack Type: Very early with separate primary and secondary chests below three pneumatic deck boards.  |                   |            |               |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, wooden sides, windmotor drive. Rewind Trip: Swivel lever lock and cancel; large pneumatic to spoolbox transmission. Plays 44-Note Pianino music rolls.   |                   |            |               |             |   |             |           |
| Pump Type: Early flat belt drive, movable center-board bellows, attached reservoir with coil spring adjustable spill valve.   |                   |            |               |             |   |             |           |
| Coin Entry: Horizontal push-pull slide. Coin Switch: Early coin chute/magazine in which coin makes electrical contact.  |                   |            |               |             |   |             |           |
| Art Glass: Original geometric design glass replaced with modern clear glass with scalloped colored glass border.  |                   |            |               |             |   |             |           |
| Comments: Shipped by Wurlitzer on 2/28/1906; Destination: Racine, Wis. The Pianino was bought in Wisconsin in 1970 by Dr. LeRoy Krause, a dentist, in Mitchell, S.D., who worked on the machine and kept it in his front hall until his death in 2007, at which time the Pianino was moved to his daughter's home in Parker, Colorado. It was then purchased by the current owner, a retired orthopedic surgeon, and now a piano technician, in Cherry Hills, Colorado. The Pianino is in playing condition, and as of August, 2015, it is undergoing further restoration. The original front-side cast iron flat-belt pulley has been replaced with modern v-belt pulley to accommodate a replacement motor. |                   |            |               |             |   |             |           |
| 10570   | Pianino           | --         | Golden Oak    | Gold        | 5 Tune (wood sides).                        | ----        | 1906      |
| Instrumentation: 44-note piano with mandolin attachment.  |                   |            |               |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, wooden sides, belt drive, with take-up spool roller type tempo regulator. Rewind Trip: Horizontal shelf-mounted pneumatic with spill valve (left of spoolbox). Plays 44-Note Pianino music rolls.  |                   |            |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley.   |                   |            |               |             |   |             |           |
| Pump Type: Early gear drive movable center-board vacuum bellows, attached reservoir with coil spring adjusted spill valve.  |                   |            |               |             |   |             |           |
| Coin Entry: Brass plate, hole with lever.   |                   |            |               |             |   |             |           |
| Art Glass: Geometric design with clear leaded glass, flanked by with two small side windows for program card display.   |                   |            |               |             |   |             |           |
| Comments: Bay front case. Music roll tempo compensation uses a metal roller riding on the take up spool to adjust the friction drive speed. Wooden tracker bar attached with levers. Original Tonophone style brass coin drop mounted on right side of case. Two lamps. Shipped 7/31/1906.  |                   |            |               |             |   |             |           |

| S/N   | Style Description  | Case Style |             |             | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|---|--------------------|------------|-------------|-------------|---|-------------|-----------|
|   |                    | No.        | Case Finish | Plate Color |   |             |           |
| 10600   | Pianino            | --         | Golden Oak  | Gold        | 5 Tune (wood sides).                        | ----        | 1906      |
| Instrumentation: 44-note piano with mandolin attachment   |                    |            |             |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, wooden sides, belt drive. Rewind Trip: Horizontal shelf-mounted pneumatic with spill valve (left of spoolbox). Plays 44-Note Pianino music rolls.  |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley.   |                    |            |             |             |   |             |           |
| Pump Type: Early gear drive movable center-board vacuum bellows, attached reservoir with coil spring adjusted spill valve.  |                    |            |             |             |   |             |           |
| Coin Entry: Brass plate, horizontal slot. Coin Switch: Early coin chute/magazine in which coin makes electrical contact.  |                    |            |             |             |   |             |           |
| Art Glass: Clear rectangular beveled center window flanked by two smaller windows.  |                    |            |             |             |   |             |           |
| Comments: Bay front case. Tempo compensation uses a metal roller riding on the take up spool to adjust friction drive speed. Wooden tracker bar attached with levers. Coin drop right side of front, equipped with coin detector magazine visible behind right front window. No lights. Shipped 8/8/1906. |                    |            |             |             |   |             |           |
| 11089   | Pianino            | --         | Oak         | Green       | 5 Tune (wood sides).                        | ----        | 1907      |
| Instrumentation: 44-note piano, with manually operated muffler rail.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, wooden sides, belt drive, with take-up spool roller type tempo regulator. Rewind Trip: Horizontal shelf-mounted pneumatic with spill valve (left of spoolbox). Plays 44-Note Pianino music rolls.  |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley.   |                    |            |             |             |   |             |           |
| Pump Type: Early gear drive movable center-board vacuum bellows, attached reservoir with coil spring adjusted spill valve.  |                    |            |             |             |   |             |           |
| Coin Entry: Brass plate, horizontal slot. Coin Switch: Early coin chute/magazine in which coin makes electrical contact.  |                    |            |             |             |   |             |           |
| Art Glass: Geometric design with clear leaded glass, flanked by with two small side windows for program card and coin magazine display.   |                    |            |             |             |   |             |           |
| Comments: Bay front case. Wooden tracker bar attached with levers. Coin drop on right side of front, equipped with coin detector magazine visible behind right front window. Has small brass lights on each side of case.   |                    |            |             |             |   |             |           |
| 11358   | Pianino            | --         | Oak         | Green       | 5 Tune (wood sides).                        | ----        | 1907      |
| Instrumentation: 44-note piano, with manually operated muffler rail.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, wooden sides, belt drive. Rewind Trip: Horizontal shelf-mounted pneumatic with spill valve (left of spoolbox). Plays 44-Note Pianino music rolls.  |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley.   |                    |            |             |             |   |             |           |
| Pump Type: Early gear drive movable center-board vacuum bellows, attached reservoir with coil spring adjusted spill valve.  |                    |            |             |             |   |             |           |
| Coin Entry: Brass plate, horizontal slot. Coin Switch: Early coin chute/magazine in which coin makes electrical contact.  |                    |            |             |             |   |             |           |
| Art Glass: Geometric design with clear leaded glass, flanked by with two small side.  |                    |            |             |             |   |             |           |
| Comments: Bay front case. Tempo compensation uses a metal roller riding on the take up spool to adjust friction drive speed. Wooden tracker bar attached with levers. Bay front case. Coin drop right side of front, equipped with coin detector magazine visible behind right front window. No lights.   |                    |            |             |             |   |             |           |
| 11431   | Mandolin Quartette | --         | Oak         | Gold        | 5 Tune (wood sides).                        | ----        | 1907      |
| Stack Type: Early valve chest above three pneumatic deck boards.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, wooden sides, belt drive. Plays Mandolin Quartette rolls.  |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Large frame electric motor.  |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum bellows, attached reservoir, coil spring adjusted spill valve.   |                    |            |             |             |   |             |           |
| Coin Entry: Nickel plated plate, horizontal slot. Coin Switch: Early coin chute/magazine in which coin makes electrical contact.  |                    |            |             |             |   |             |           |
| Art Glass: Three clear bevel glass windows.   |                    |            |             |             |   |             |           |
| Comments: Rectangular case. Wood tracker bar attached by levers, tempo control attached to vertical control plate at right center of spool box. Shipped 6/24/1907.  |                    |            |             |             |   |             |           |

| S/N  | Style Description  | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|--------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                    | No.        | Case Finish |             |   |             |           |
| 11497  | Pianino            | --         | -----       | Green       | 5 Tune (wood sides).                        | ----        | 1907      |
| Instrumentation: 44-note piano, with mandolin attachment.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, wooden sides, belt drive. Rewind Trip: Horizontal shelf-mounted pneumatic with spill valve (left of spoolbox). Plays 44-Note Pianino music rolls.   |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Large frame Holtzer-Cabot motor.  |                    |            |             |             |   |             |           |
| Pump Type: Early gear drive movable center-board vacuum bellows, attached reservoir with coil spring adjusted spill valve.   |                    |            |             |             |   |             |           |
| Coin Entry: Brass plate, horizontal slot.  |                    |            |             |             |   |             |           |
| Art Glass: Clear rectangular bevel glass, flanked by two small card display windows.   |                    |            |             |             |   |             |           |
| Comments: Bay front case. Tempo compensation uses a metal roller riding on the take up spool to adjust friction drive speed. Wooden tracker bar attached with levers. Coin slot right front. No lights. Shipped 6/25/1907.   |                    |            |             |             |   |             |           |
| 11710  | Pianino            | --         | -----       | Gold        | 5 Tune (wood sides).                        | ----        | 1907      |
| Instrumentation: 44-note Piano, with mandolin attachment.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, wooden sides, belt drive. Rewind Trip: Horizontal shelf-mounted pneumatic with spill valve (left of spoolbox). Plays 44-Note Pianino music rolls.   |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. Note: Replacement modern v-belt pulley. Motor: Modern motor replacement.  |                    |            |             |             |   |             |           |
| Pump Type: Early gear drive movable center-board vacuum bellows, attached reservoir with coil spring adjusted spill valve.   |                    |            |             |             |   |             |           |
| Art Glass: Clear rectangular beveled center window flanked by two small program display windows.   |                    |            |             |             |   |             |           |
| Comments: Bay front case. Tempo compensation uses a metal roller riding on the take up spool to adjust friction drive speed (missing). Wooden tracker bar attached with levers. Stamped on the music roll shelf (in front of the roll frame) is the number 1049(?), with the last number either 6 or 8, most likely #10498 (shipped 7/8/1906). This Pianino may have been returned to the factory and then re-issued as 11710, shipped on 8/19/1907. |                    |            |             |             |   |             |           |
| 12446  | Pianino            | --         | Walnut      | Green       | Unknown roll mechanism.                     | ----        | 1908      |
| Instrumentation: 44-note piano.  |                    |            |             |             |   |             |           |
| Plays 44-Note Pianino music rolls.   |                    |            |             |             |   |             |           |
| Comments: Converted to Manual play 44-note piano, case modified. Offered for sale on eBay in 2009 by an antique dealer in Los Angeles, CA. Marketed as a childs piano. New case, not a factory conversion.   |                    |            |             |             |   |             |           |
| 12539  | I 65-Note Piano    | --         | Golden Oak  | Green       | 5 Tune (metal sides).                       | ----        | 1908      |
| Instrumentation: Piano with mandolin attachment. A wood block and triangle have been added.  |                    |            |             |             |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Rewind Trip: Horizontal shelf-mounted pneumatic with spill valve (right of spoolbox). Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Coin Entry: Brass plate, horizontal slot. Coin Switch: Early coin chute/magazine in which coin makes electrical contact.   |                    |            |             |             |   |             |           |
| Art Glass: Square center panel flanked by two oval beveled side windows.   |                    |            |             |             |   |             |           |
| Comments: Oak cabinet with appliqué carvings under side windows. Early belt drive interconnected to a vertical drive shaft. Stack may be a later player piano stack replacement.   |                    |            |             |             |   |             |           |
| 12921  | Mandolin Quartette | --         | Oak         | Green       | 5 Tune (metal sides).                       | ----        | 1909      |
| Stack Type: Early valve chest above three pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Plays Mandolin Quartette rolls.  |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley.  |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum bellows, attached reservoir, coil spring adjusted spill valve.  |                    |            |             |             |   |             |           |
| Coin Entry: Brass plate, horizontal slot. Coin Switch: Early coin chute/magazine in which coin makes electrical contact.   |                    |            |             |             |   |             |           |
| Art Glass: Three clear bevel glass windows.  |                    |            |             |             |   |             |           |
| Comments: Square case.   |                    |            |             |             |   |             |           |

| S/N   | Style Description  | Case Style |                 | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|-------|--|------------|-----------------|-------------|---|-------------|-----------|
|       |  | No.        | Case Finish     |             |   |             |           |
| 13101 | BX Orchestra Piano<br>Plays 65-Note APP music rolls.   | --         | -----           | -----       | Unknown roll mechanism.                     | ----        | 1909      |
| 13691 | C Orchestra Piano<br>Plays 65-Note APP music rolls.<br>Art Glass: Early case with three solid art glass panels.  | --         | -----           | -----       | Unknown roll mechanism.                     | ----        | 1910      |
| 13929 | 88-Note Style A<br>Instrumentation: 88-Note Piano with expression.<br>Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Rewind Trip: Two-ramp belt-driven cam and flushing valve. Plays 88-Note player piano rolls.<br>Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Motor: Holtzer-Cabot.<br>Pump Type: Movable center-board vacuum bellows, attached reservoir with coil spring adjusted spill valve.<br>Coin Entry: Brass plate, horizontal slot.<br>Comments: Coin Entry on left side of front panel. Plays Wurlitzer 88-Note Automatic Player piano Rolls. Shipped 5/28/1910.   | A          | Oak             | Gold        | 5 Tune (metal sides).                       | ----        | 1910      |
| 14078 | I 65-Note Piano<br>Instrumentation: Piano with mandolin attachment.<br>Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Plays 65-Note APP music rolls.<br>Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabot (for R.W.Co.).<br>Coin Entry: Brass plate, horizontal slot.<br>Art Glass: Square center panel flanked by two oval beveled side windows.<br>Comments: Oak cabinet with appliqué carvings under side windows. Shipped 6/8/1910.   | --         | Silver Grey Oak | Gold        | 5 Tune (metal sides).                       | ----        | 1910      |
| 14271 | 88-Note Style A<br>Instrumentation: 88-Note Piano with mandolin attachment.<br>Stack Type: Unit block valves in front of pneumatic deck boards.<br>Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Large vertical rewind pneumatic with 2 unit valves; next to roll frame. Plays 88-Note player piano rolls.<br>Gear Standard: Worm Gear Standard, SA-BB (Style-BB enclosed). 7-1/4" high. No pulley; shaft never pinned. Note: Original open gear standard replaced by later Style-BB during factory rebuild.<br>Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.<br>Coin Switch: Vertical ratchet slide type accumulator and electrical switch.<br>Comments: Plays Wurlitzer 65-Note Automatic Player piano Rolls. Shipped 7/29/1910. Possibly #11443 when originally built and shipped 6/8/1907. Early style A case returned to the factory and converted from 88 note to 65 note and reshipped in February 14, 1915. Last upgrade circa early 1928, when it was again retrofitted with late style parts, unit block stack, late Style I pump, and a new coin mechanism. Current serial number was over stamped an earlier number. | A          | Silver Grey Oak | Gold        | 10 Tune (shaft drive), No. 8299.            | ----        | 1910      |
| 14284 | Pianino<br>Instrumentation: 44-note piano.<br>Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Plays 44-Note Pianino music rolls.<br>Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley.  | --         | -----           | -----       | 5 Tune (metal sides).                       | ----        | 1910      |
| 14489 | 88-Note Style A<br>Instrumentation: 88-Note Piano.<br>Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake bands. Plays 88-Note player piano rolls.<br>Pump Type: Movable center-board vacuum bellows, attached reservoir with coil spring adjusted spill valve.<br>Comments: Shipped 8/7/1911. Wurlitzer 88-note Style A coin piano with roll changer.  | --         | Golden Oak      | -----       | Roll Changer (early-1), No. 199.            | ----        | 1911      |

| S/N  | Style Description  | Case Style |               | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|--------------------|------------|---------------|-------------|---|-------------|-----------|
|  |                    | No.        | Case Finish   |             |   |             |           |
| 14493  | CX Orchestra Piano | --         | Oak           | Green       | Roll Changer (early-2), No. 799.            | ----        | 1911      |
| Instrumentation: Violin and flute pipes. Bells added.  |                    |            |               |             |   |             |           |
| Stack Type: Early valve chest over three pneumatic deck boards.  |                    |            |               |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Rewind Trip: Two-ramp cam on vertical shaft with flushing valve. Plays 65-Note APP music rolls.   |                    |            |               |             |   |             |           |
| Gear Standard: Heavy Gear Standard, Heavy Gear Std; no oil cups (enclosed). 9-3/8" high. Pinned stub shaft; no pulley. Note: Oil pan. Motor: Holtzer-Cabot.  |                    |            |               |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                    |            |               |             |   |             |           |
| Art Glass: Scenic side doors and top center panel. Wonder light: Original with Instrument.   |                    |            |               |             |   |             |           |
| Comments: Inlay case. Has pneumatic to open rear panel behind pipes. Shipped 9/3/1911. Bonham auction. Shown in Wurlitzer ledger as a 65-note Style B, with a Silver Grey finish.  |                    |            |               |             |   |             |           |
| 14727  | C Orchestra Piano  | 3          | Weathered Oak | Green       | 10 Tune (shaft drive).                      | ----        | 1910      |
| Instrumentation: Violin and flute pipes.   |                    |            |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.  |                    |            |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Motor: Holtzer-Cabot.  |                    |            |               |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                    |            |               |             |   |             |           |
| Comments: Shipped 10/26/1910. Formerly in the Paul Eakins collection; bought by Disney World; now in private collection. Based upon the serial number, it might be that the 10-tune roll frame replaced an original 5-tune sheet metal, belt driven, roll mechanism.   |                    |            |               |             |   |             |           |
| 14939  | A 65-Note Piano    | --         | Mahogany      | Green       | 5 Tune (metal sides).                       | ----        | 1911      |
| Instrumentation: Piano with mandolin attachment, and wood violin pipes.  |                    |            |               |             |   |             |           |
| Stack Type: Early deKleist valve chest above three pneumatic deck boards.  |                    |            |               |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Plays 65-Note APP music rolls.   |                    |            |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabot 25 cycle AC motor, Type QS, size 12, Serial # 31403, 1400 RPM.   |                    |            |               |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                    |            |               |             |   |             |           |
| Coin Entry: Nickel plated plate, horizontal slot.  |                    |            |               |             |   |             |           |
| Art Glass: Art glass depicting white bird perched on branch with green leaves.   |                    |            |               |             |   |             |           |
| Comments: When found this piano had a Holtzer-Cabot 25 cycle, 1400 RPM, AC motor, type QS, size 12, serial # 31403. The shipping records show that the original motor was 60 cycle. Piano found at an estate sale in Connecticut, in need of restoration. Round leather belt drive from wood pulley on gear standard to vertical shaft, then second belt from vertical shaft to 5 tune sheet metal roll frame. |                    |            |               |             |   |             |           |
| Owner: Paul Horgan (reported 1/8/2017)   |                    |            |               |             |   |             |           |
| 15177  | I 65-Note Piano    | --         | Weathered Oak | Gold        | 5 Tune (metal sides).                       | ----        | 1911      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |               |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Plays 65-Note APP music rolls.   |                    |            |               |             |   |             |           |
| Coin Entry: Brass plate, horizontal slot. Coin Switch: Early coin chute/magazine in which coin makes electrical contact.   |                    |            |               |             |   |             |           |
| Art Glass: Square center panel flanked by two oval beveled side windows.   |                    |            |               |             |   |             |           |
| Comments: Shipped 1/30/1911. Applied carvings under each oval shaped side window. Brass plate under roll access door reads: "Sold by Wm. L. Glockner, Los Angeles, Cal." Glockner Music was a distributor of Wurlitzer instruments in downtown Los Angeles, CA. Formerly on display at Mickie Finn's in San Diego.   |                    |            |               |             |   |             |           |

| S/N   | Style Description  | Case Style |               | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|---|--------------------|------------|---------------|-------------|---|-------------|-----------|
|   |                    | No.        | Case Finish   |             |   |             |           |
| 15314   | Pianino            | --         | Golden Oak    | -----       | 5 Tune (metal sides).                       | ----        | 1911      |
| Instrumentation: 44-note piano, with mandolin attachment.   |                    |            |               |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Plays 44-Note Pianino music rolls.  |                    |            |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley.   |                    |            |               |             |   |             |           |
| Coin Entry: Brass plate, horizontal slot. Coin Switch: Early coin chute/magazine in which coin makes electrical contact.  |                    |            |               |             |   |             |           |
| Art Glass: Clear rectangular beveled glass, flanked by with two small side windows.   |                    |            |               |             |   |             |           |
| Comments: Shipped 3/17/1911. Bay front case. Sold for \$3000 at Showtime Auctions, October of 2012.   |                    |            |               |             |   |             |           |
| 15636   | Pianino            | --         | -----         | -----       | 5 Tune (metal sides).                       | ----        | 1911      |
| Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Plays 44-Note Pianino music rolls.  |                    |            |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley.   |                    |            |               |             |   |             |           |
| Comments: Pianino currently disassembled and in parts.  |                    |            |               |             |   |             |           |
| 15661   | I 65-Note Piano    | --         | Mahogany      | Green       | 5 Tune (metal sides).                       | ----        | 1911      |
| Instrumentation: Piano with mandolin attachment.  |                    |            |               |             |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.  |                    |            |               |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Rewind Trip: Two-ramp belt-driven cam and flushing valve. Plays 65-Note APP music rolls.  |                    |            |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. 5" O.D. split wooden pulley.  |                    |            |               |             |   |             |           |
| Coin Entry: Brass plate, horizontal slot. Coin Switch: Early coin chute/magazine in which coin makes electrical contact.  |                    |            |               |             |   |             |           |
| Art Glass: Square center panel flanked by two oval side windows.  |                    |            |               |             |   |             |           |
| Comments: Shipped 5/2/1911.   |                    |            |               |             |   |             |           |
| 15987   | BX Orchestra Piano | --         | Weathered Oak | -----       | Roll Changer, No. 164.                      | ----        | 1911      |
| Instrumentation: Piano, Mandolin attachment, Dopples Flutes, Bass & Snare Drum and Triangle.  |                    |            |               |             |   |             |           |
| Stack Type: Early valve chest over three pneumatic deck boards.   |                    |            |               |             |   |             |           |
| Roll Mechanism: Roll Changer - details unknown. Plays 65-Note APP music rolls.  |                    |            |               |             |   |             |           |
| Art Glass: Glass is simple with single tulip as in early catalog picture, and a pair of lamps on the top gallery.   |                    |            |               |             |   |             |           |
| Comments: Shipped 7/29/1911. Original roll changer missing and replaced by a later changer. Previous owners included the late Orville Cooper (Long Beach, California); a feed supply store in Kansas, and currently it is in the collection of Don Teach. |                    |            |               |             |   |             |           |
| Owner: Don Teach (reported 6/7/2014)  |                    |            |               |             |   |             |           |
| 16040   | IX 65-Note Piano   | --         | Weathered Oak | -----       | Roll Changer (early-1), No. 264.            | ----        | 1911      |
| Instrumentation: Piano with mandolin attachment.  |                    |            |               |             |   |             |           |
| Stack Type: Early valve chest over three pneumatic deck boards.   |                    |            |               |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake bands. Plays 65-Note APP music rolls.  |                    |            |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Note: Brass crankshaft bushings. 2-1/2" O.D. fiber gear on vertical shaft.  |                    |            |               |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.  |                    |            |               |             |   |             |           |
| Comments: Fancy case. Coin Entry mounted on left side of case. Shipped 9/23/1911.   |                    |            |               |             |   |             |           |

| S/N   | Style Description  | Case Style |               | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|---|--------------------|------------|---------------|-------------|---|-------------|-----------|
|   |                    | No.        | Case Finish   |             |   |             |           |
| 16088   | CX Orchestra Piano | --         | Weathered Oak | -----       | Roll Changer (early-2), No. 925.            | ----        | 1911      |
| <p>Instrumentation: Bells added.</p> <p>Stack Type: Unit block valves in front of pneumatic deck boards (replacement, original stack missing).</p> <p>Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Plays 65-Note APP music rolls.</p> <p>Art Glass: Scenic side doors and top center panel. Wonder light: Replica/Reproduction unit; Modern gear motor drive.</p> <p>Comments: Shipped 12/29/1911. Non-original roll changer. New changer shelf, bell action, stack trunk w/unit valves. A piano with this serial number should have a changer numbered in the 300s with brake bands on the rewind hubs, but the roll changer is #925 with brake pads, appropriate for a piano in the 17,000s made later that year. It should have a stack with horizontal valves with springs, but it has a new unit valve stack made by Mike Kitner, using old unit valves.</p>   |                    |            |               |             |   |             |           |
| 16466   | I 65-Note Piano    | --         | Silver Grey   | -----       | 5 Tune (metal sides).                       | ----        | 1912      |
| <p>Instrumentation: Piano with mandolin attachment.</p> <p>Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Plays 65-Note APP music rolls.</p> <p>Art Glass: Long window.</p> <p>Comments: Shipped 1/25/1912.</p>  |                    |            |               |             |   |             |           |
| 16586   | Bijou Orchestra    | --         | Oak           | Green       | Roll Changer (early-1), No. 402.            | ----        | 1912      |
| <p>Instrumentation: Piano with mandolin attachment, violin pipes, xylophone and snare drum.</p> <p>Stack Type: Early valve chest over three pneumatic deck boards.</p> <p>Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake bands. Plays 44-Note Pianino music rolls.</p> <p>Gear Standard: No Nameplate, Heavy Gear Std. with oil cups (enclosed). 9-3/8" high. Note: Big gear standard - no brass label. 2-1/4" O.D. fiber gear on vertical shaft.</p> <p>Comments: Pumps in this instrument appear to have been modified. Original owner unknown; Front Street Museum, Dodge City, KS; National Cowboy Hall of Fame, Oklahoma City, OK; private collection.</p>   |                    |            |               |             |   |             |           |
| 16772   | IX 65-Note Piano   | --         | Golden Oak    | Green       | Roll Changer (early-1), No. 521.            | ----        | 1912      |
| <p>Instrumentation: Piano with mandolin attachment.</p> <p>Stack Type: Early valve chest above three pneumatic deck boards; keyboard levers.</p> <p>Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake bands. Rewind Trip: Two-ramp cam on vertical shaft with flushing valve. Plays 65-Note APP music rolls.</p> <p>Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Note: Motor on shelf lower than gear standard platform. Motor: Wurlitzer by Holtzer-Cabot.</p> <p>Pump Type: Movable center-board vacuum bellows, separate reservoir with spill valve.</p> <p>Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.</p> <p>Art Glass: 2 side art glass panels with trees, with center beveled clear glass for roll access door.</p> <p>Comments: IX with 6 round legs, front two with Corinthian capitals. Missing some parts; remaining restoration and refinish nearly complete by current owner as of 10-27-2015, expected to be complete by first of 2016.</p> |                    |            |               |             |   |             |           |



| S/N  | Style Description    | Case Style |                 |       | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|----------------------|------------|-----------------|-------|-------------|---|-------------|-----------|
|  |                      | No.        | Case Finish     |       |             |   |             |           |
| 16901  | BX Orchestra Piano   | --         | -----           | ----- |             | Roll Changer (early-2), No. 760.            | ----        | 1912      |
| Instrumentation: Violin pipes.   |                      |            |                 |       |             |   |             |           |
| Stack Type: Early valve chest over three pneumatic deck boards; keyboard levers.   |                      |            |                 |       |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Plays 65-Note APP music rolls.  |                      |            |                 |       |             |   |             |           |
| Gear Standard: No Nameplate, Heavy Gear Std. with oil cups (enclosed). 9-3/8" high. Note: Big gear standard. 2-1/2" O.D. fiber gear on vertical shaft. Motor: Holtzer-Cabot.   |                      |            |                 |       |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |                 |       |             |   |             |           |
| Comments: This piano was originally used in a saloon in Trinidad, Colorado. Within a few years after it was installed in the saloon, the owner was killed by an explosive device thrown through the front window of the building, killing the owner but not causing significant damage to the saloon. The owner's widow and son closed the business, leaving all furnishings intact until the early 1970s when the son sold it to the owner of Jolly Drover Antiques in Estes Park, Colorado. The piano was brought to Reblitz Restorations for repairs. Although the pneumatic cloth was stiff, the condition of the piano was still so fine that it barely needed to be regulated. It was later completely restored for the Sanfilippo Collection by Reblitz Restorations. |                      |            |                 |       |             |   |             |           |
| 17104  | Violin-Flute Pianino | --         | Oak             | Green |             | 5 Tune (metal sides).                       | ----        | ----      |
| Instrumentation: 44-note piano with mandolin attachment, and flute pipes.  |                      |            |                 |       |             |   |             |           |
| Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Rewind Trip: Tall Open Gear Standard with triangular cam operated rewind trip lever. Plays 44-Note Pianino music rolls.  |                      |            |                 |       |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base with Rewind Linkage. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Non original motor.   |                      |            |                 |       |             |   |             |           |
| Coin Switch: Ratchet wheel type accumulator and electrical switch.   |                      |            |                 |       |             |   |             |           |
| Comments: Sold by "Denver Auction Co."   |                      |            |                 |       |             |   |             |           |
| 17400  | B Orchestra Piano    | 3          | Oak             | Green |             | 10 Tune (shaft drive), No. 1459.            | ----        | ----      |
| Instrumentation: Early brass snare drum and action, bass drum and action. Flute pipes. Added violin pipes and bells.   |                      |            |                 |       |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Two-ramp cam on vertical shaft with flushing valve. Plays 65-Note APP music rolls.  |                      |            |                 |       |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |                 |       |             |   |             |           |
| Art Glass: Crossed trumpet motif in side doors; lyre on top center panel. Wonder light: Present - status unknown; Vertical shaft through top of case with belt pulley outside.   |                      |            |                 |       |             |   |             |           |
| Comments: Patent on piano plate: May 30, 1899. Friction drive roll frame with early Pneumatic/mechanical cam rewind. Found in a Colorado antique store. The instrument has a knob mounted under the keyboard that changes the spill valve adjustment and vacuum level for louder or softer playing.  |                      |            |                 |       |             |   |             |           |
| 17452  | I 65-Note Piano      | --         | Silver Grey Oak | Green |             | 10 Tune (shaft drive), No. 106.             | ----        | 1912      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |                 |       |             |   |             |           |
| Stack Type: Horizontal valves, coil springs, three deck boards; keyboard levers.   |                      |            |                 |       |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive, fragile thin section roll flanges. Rewind Trip: Two-ramp cam on vertical shaft with flushing valve. Plays 65-Note APP music rolls.   |                      |            |                 |       |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. No pulley; shaft never pinned. Note: Brass crankshaft bushings. Motor: Modern 1150 RPM motor.  |                      |            |                 |       |             |   |             |           |
| Pump Type: Movable center-board vacuum bellows, separate reservoir with spill valve.   |                      |            |                 |       |             |   |             |           |
| Art Glass: Long window, floral pattern with opalescent and chipped glass.  |                      |            |                 |       |             |   |             |           |
| Comments: April 9, 1912, newspaper date on reservoir cover. Roll frame has fragile thin section roll flanges. The instrument has a knob mounted under the keyboard that changes the spill valve adjustment and vacuum level for louder or softer playing. Electric Lights mounted on roll frame shelf.   |                      |            |                 |       |             |   |             |           |

| S/N  | Style Description    | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|----------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                      | No.        | Case Finish |             |   |             |           |
| 17461  | I 65-Note Piano      | 14         | -----       | Gold        | 10 Tune (shaft drive), No. 89.              | ----        | 1912      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |             |             |   |             |           |
| Stack Type: Horizontal valves, coil springs, three deck boards; keyboard levers.   |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Two-ramp cam on vertical shaft with flushing valve.   |                      |            |             |             |   |             |           |
| Plays 65-Note APP music rolls.   |                      |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Motor: Small frame Holtzer-Cabot.  |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum bellows, separate reservoir with spill valve.   |                      |            |             |             |   |             |           |
| Art Glass: Long scenic art glass window across front.  |                      |            |             |             |   |             |           |
| Comments: Electric lights mounted on roll frame shelf.   |                      |            |             |             |   |             |           |
| 17553  | IX A Roll Conversion | --         | Oak         | ----        | 65-note A roll mechanism.                   | ----        | 1912      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |             |             |   |             |           |
| Stack Type: Late Seeburg stack #250 (2nd stack numbering series, possibly 1921).   |                      |            |             |             |   |             |           |
| Roll Mechanism: Seeburg cast iron A roll mechanism. Plays 65-Note Style A Rolls.   |                      |            |             |             |   |             |           |
| Art Glass: Center window is clear glass. Tune card window filled with quartered oak panel. Side windows Seeburg E "sunrise" motif glass.   |                      |            |             |             |   |             |           |
| Comments: Converted expertly by Seeburg factory or distributor with all Seeburg parts. Seeburg fallboard decal on wooden overlay panel covers Wurlitzer name cast into piano plate.  |                      |            |             |             |   |             |           |
| 17566  | CX Orchestra Piano   | --         | -----       | ----        | Roll Changer (early-2).                     | 1043        | 1912      |
| Stack Type: Early valve chest over three pneumatic deck boards.  |                      |            |             |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Plays 65-Note APP music rolls.  |                      |            |             |             |   |             |           |
| Gear Standard: Heavy Gear Standard, SA 200 HG 3 Heavy Gear Std. (enclosed). 9-3/8" high. S/N: 1043. Note: Pot metal crankshaft bushings. On the end of one crank are the die-stamped numbers 1200 over 74. 2-1/2" O.D. fiber gear on vertical shaft. |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |             |             |   |             |           |
| Art Glass: Scenic in side doors and top center panel.  |                      |            |             |             |   |             |           |
| 17582  | CX Orchestra Piano   | 3          | Oak         | Green       | Roll Changer (early-2).                     | ----        | ----      |
| Stack Type: Early valve chest above three pneumatic deck boards.   |                      |            |             |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Plays 65-Note APP music rolls.  |                      |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Motor: Non-original motor.   |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |             |             |   |             |           |
| Art Glass: Plain geometric panels with small flowers.  |                      |            |             |             |   |             |           |
| Comments: Has original top gallery with side lamps.  |                      |            |             |             |   |             |           |
| 17587  | CX Orchestra Piano   | --         | Oak         | Gold        | Roll Changer (early-2), No. 836.            | 1178        | 1912      |
| Instrumentation: Bells added.  |                      |            |             |             |   |             |           |
| Stack Type: Early valve chest over three pneumatic deck boards; keyboard levers.   |                      |            |             |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Plays 65-Note APP music rolls.  |                      |            |             |             |   |             |           |
| Gear Standard: Heavy Gear Standard, SA 200 HG 3 Heavy Gear Std. (enclosed). 9-3/8" high. S/N: 1178.  |                      |            |             |             |   |             |           |
| Art Glass: Art Glass has colorful dancing girls with a castle in the top center panel. Wonder light: Original with Instrument; Vertical shaft drive inside case with belt pulley under top.  |                      |            |             |             |   |             |           |
| Comments: New pinblock. Cabinet with inlaid squares.   |                      |            |             |             |   |             |           |

| S/N   | Style Description    | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|---|----------------------|------------|-------------|-------------|---|-------------|-----------|
|   |                      | No.        | Case Finish |             |   |             |           |
| 17613   | CX Orchestra Piano   | --         | Oak         | Green       | Roll Changer (early-2), No. 786.            | ----        | 1912      |
| <p>Stack Type: Early valve chest over three pneumatic deck boards.</p> <p>Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Plays 65-Note APP music rolls.</p> <p>Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Motor: Non original motor.</p> <p>Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.</p> <p>Art Glass: Scenic in side doors and top center panel. Wonder light: Replica/Reproduction unit; Vertical shaft through top of case with belt pulley outside.</p> <p>Comments: Inlay case.</p>  |                      |            |             |             |   |             |           |
| 17625   | Violin-Flute Pianino | --         | Oak         | Green       | 5 Tune (metal sides).                       | ----        | ----      |
| <p>Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes.</p> <p>Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Plays 44-Note Pianino music rolls.</p> <p>Gear Standard: No Nameplate, Open Gear Tall Base with Rewind Linkage. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Replacement motor.</p> <p>Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.</p> <p>Art Glass: Modern replacement; 3 panels of floral design art glass.</p> <p>Comments: Inlay case. Coin slot mounted on left side of cabinet.</p>  |                      |            |             |             |   |             |           |
| 17814   | C Orchestra Piano    | 3          | Oak         | Green       | 10 Tune (shaft drive).                      | ----        | 1912      |
| <p>Instrumentation: Doppie flutes.</p> <p>Stack Type: Horizontal valves, coil springs, three deck boards; keyboard levers.</p> <p>Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.</p> <p>Gear Standard: Heavy Gear Standard, SA 200 HG 3 Heavy Gear Std. (enclosed). 9-3/8" high.</p> <p>Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.</p> <p>Art Glass: Crossed trumpet motif in side doors; lyre on top center panel.</p>   |                      |            |             |             |   |             |           |
| 18063   | Violin-Flute Pianino | --         | Oak         | Black       | 5 Tune (metal sides).                       | ----        | ----      |
| <p>Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes behind piano sounding board.</p> <p>Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive, with take-up spool roller type tempo regulator. Plays 44-Note Pianino music rolls.</p> <p>Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.</p> <p>Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.</p> <p>Comments: Coin slot mounted on left side of cabinet. Flame carvings on bottom panel. Violin-Flute Pianino converted to Race Horse style with new parts made by Don Teach. The violin and flute pipes were moved behind the soundboard when the race horse mechanism was added.</p>  |                      |            |             |             |   |             |           |
| 18406   | Violin-Flute Pianino | --         | Oak         | Green       | 5 Tune (metal sides).                       | ----        | ----      |
| <p>Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes.</p> <p>Roll Mechanism: 5-tune roll frame, sheet metal sides, belt drive. Rewind Trip: Early Direct Drive Gear with triangular cam operated trip lever. Plays 44-Note Pianino music rolls.</p> <p>Gear Standard: No Nameplate, Open Gear Tall Base with Rewind Linkage. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Small frame Holtzer-Cabot.</p> <p>Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.</p> <p>Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.</p> <p>Art Glass: 3 panels of floral design opalescent glass.</p> <p>Comments: Inlay case, with flame carvings on bottom panel. Manual vacuum level control mounted behind pipes that allows owner to adjust vacuum level-and volume. Coin slot mounted on left side of case.</p> |                      |            |             |             |   |             |           |

| S/N  | Style Description    | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|----------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                      | No.        | Case Finish |             |   |             |           |
| 18509  | I 65-Note Piano      | 14         | -----       | Green       | 10 Tune (shaft drive).                      | ----        | 1913      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Two-ramp cam on vertical shaft with flushing valve. Plays 65-Note APP music rolls.                                |                      |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Motor: Non original motor.   |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum bellows, separate reservoir with spill valve.   |                      |            |             |             |   |             |           |
| Coin Switch: Ratchet wheel type accumulator and electrical switch.   |                      |            |             |             |   |             |           |
| Art Glass: Long scenic art glass window across front.  |                      |            |             |             |   |             |           |
| Comments: The instrument has a knob mounted under the keyboard that changes the spill valve adjustment and vacuum level for louder or softer playing. Two electric lights mounted on roll shelf. |                      |            |             |             |   |             |           |
| 18939  | Violin-Flute Pianino | --         | -----       | ----        | Unknown roll mechanism.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment, violin and flute pipes.   |                      |            |             |             |   |             |           |
| Plays 44-Note Pianino music rolls.   |                      |            |             |             |   |             |           |
| Art Glass: Landscape with sailboat applique, small clear glass panel on left for tune card.  |                      |            |             |             |   |             |           |
| Comments: Coin slot, on left side of front panel.  |                      |            |             |             |   |             |           |
| 19025  | I 65-Note Piano      | 14         | Mahogany    | Green       | 10 Tune (shaft drive).                      | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Two-ramp cam on vertical shaft with flushing valve. Plays 65-Note APP music rolls.                                |                      |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Motor: Replacement Holtzer-Cabot motor.  |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum bellows, separate reservoir with spill valve.   |                      |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                      |            |             |             |   |             |           |
| Art Glass: Single large art glass landscape with sailboat applique, small clear glass panel on left for tune card.   |                      |            |             |             |   |             |           |
| Comments: Coin entry on left side of front panel.  |                      |            |             |             |   |             |           |
| 19079  | BX Orchestra Piano   | --         | -----       | ----        | Roll Changer (early-2), No. 1012.           | ----        | 1913      |
| Stack Type: Early valve chest over three pneumatic deck boards.  |                      |            |             |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Plays 65-Note APP music rolls.  |                      |            |             |             |   |             |           |
| Gear Standard: Heavy Gear Standard, Heavy Gear Standard - Details Unknown. 9-3/8" high. Note: Big gear standard. 2-1/2" O.D. fiber gear on vertical shaft.                                       |                      |            |             |             |   |             |           |
| 19185  | C Orchestra Piano    | 3          | Oak         | Green       | 10 Tune (shaft drive).                      | ----        | 1913      |
| Instrumentation: Violin and Dopppe flute pipes.  |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Two-ramp cam on vertical shaft with flushing valve. Plays 65-Note APP music rolls.                                |                      |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Motor: Holtzer-Cabot.  |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |             |             |   |             |           |
| Art Glass: 3 panels of floral design opalescent glass.   |                      |            |             |             |   |             |           |
| Comments: Assembled from parts; destroyed by fire.   |                      |            |             |             |   |             |           |

| S/N  | Style Description  | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|--------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                    | No.        | Case Finish |             |   |             |           |
| 19255  | Violin-Flute Piano | --         | Oak         | Green       | 10 Tune (belt drive).                       | ----        | 1913      |
| Instrumentation: 44-note piano, with mandolin attachment, violin and flute pipes.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Early Direct Drive Gear with triangular cam operated trip lever. Plays 44-Note Piano music rolls.                            |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base with Rewind Linkage. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabot 4-pole, 104 Volt motor.   |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.   |                    |            |             |             |   |             |           |
| Coin Switch: Ratchet wheel type accumulator and electrical switch.   |                    |            |             |             |   |             |           |
| Art Glass: 3 panels of floral design opalescent glass.   |                    |            |             |             |   |             |           |
| Comments: Manual vacuum level control mounted behind pipes that allows owner to adjust vacuum level volume.  |                    |            |             |             |   |             |           |
| 19484  | Violin-Flute Piano | --         | -----       | ----        | Unknown roll mechanism.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment, violin and flute pipes.   |                    |            |             |             |   |             |           |
| Plays 44-Note Piano music rolls.   |                    |            |             |             |   |             |           |
| 19811  | A 65-Note Piano    | --         | Golden Oak  | Green       | 10 Tune (belt drive).                       | 473         | ----      |
| Instrumentation: Piano, mandolin attachment, and flute pipes.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame with rewind/fast forward selector, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Heavy Gear Std. with oil cups (enclosed). 9-3/8" high. S/N: 473.  |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                    |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                    |            |             |             |   |             |           |
| Art Glass: Left panel, Windmill; center panel, Sunburst; Right panel, Seaside House.   |                    |            |             |             |   |             |           |
| Comments: Electric lamps on piano front side posts.  |                    |            |             |             |   |             |           |
| Owner: George Duczak (reported 1/26/2015)  |                    |            |             |             |   |             |           |
| 19961  | I 65-Note Piano    | 14         | -----       | Green       | 10 Tune roll frame.                         | ----        | 1913      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame - details unknown. Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Motor: Non original motor.   |                    |            |             |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.   |                    |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                    |            |             |             |   |             |           |
| Art Glass: Large landscape art glass window across front, with small clear glass center piece for tune card.   |                    |            |             |             |   |             |           |
| Comments: Vacuum bellows have wooden buttons glued to flap valves.   |                    |            |             |             |   |             |           |
| 19993  | CX Orchestra Piano | --         | -----       | ----        | Roll Changer (late), No. 4849.              | ----        | ----      |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front). Plays 65-Note APP music rolls.  |                    |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, SA-BB (Style-BB enclosed). 7-1/4" high.   |                    |            |             |             |   |             |           |
| Comments: Updated (at the factory?) with unit valves and a late style changer dating from about 1922. The bearing end caps for the worm shaft are painted gloss black and the serial number isn't visible. |                    |            |             |             |   |             |           |

| S/N   | Style Description  | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|---|--------------------|------------|-------------|-------------|---|-------------|-----------|
|   |                    | No.        | Case Finish |             |   |             |           |
| 20006   | C Orchestra Piano  | --         | Oak         | Green       | 10 Tune (shaft drive), No. 1595.            | ----        | 1913      |
| Instrumentation: Violin and flute pipes.  |                    |            |             |             |   |             |           |
| Stack Type: Early valve chest over three pneumatic deck boards; keyboard levers.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Heavy Gear Std. with oil cups (enclosed). 9-3/8" high. Note: No oil pan. Motor: Holtzer-Cabot.   |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.   |                    |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.  |                    |            |             |             |   |             |           |
| Art Glass: Scenic in side doors and top center panel.   |                    |            |             |             |   |             |           |
| Comments: Inlay case. Top gallery with two electric lamps. Visible in a scene of the 1976 movie the "Duchess and the Dirt Water Fox." Believed to have been part of a boxcar load of pianos, mostly Wurlitzer, that Orville Cooper (Long Beach, California) bought in Louisville, Kentucky and had shipped to California sometime in the late 1940s. Stack has cooper's name penciled on the stack under rear cover board. When it was located at the Gold Coin Saloon it had a "Dynamite Joe" puppet mounted behind the center top panel, which beat a small 4" drum and tapped foot in time with the bass drum. |                    |            |             |             |   |             |           |
| 20083   | C Orchestra Piano  | --         | Oak         | Green       | 10 Tune (shaft drive).                      | ----        | 1913      |
| Instrumentation: Bells added.   |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Cam wheel on vertical drive shaft with flushing valve. Plays 65-Note APP music rolls.  |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Heavy Gear Std. with oil cups (enclosed). 9-3/8" high. Note: No oil pan. Motor: Holtzer-Cabot (for R.W.Co.).   |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.   |                    |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.  |                    |            |             |             |   |             |           |
| Art Glass: Scenic in side doors and top center panel.   |                    |            |             |             |   |             |           |
| Comments: Inlay case. Instrument originally had a roll changer and wonder light. Believed to have been part of a boxcar load of pianos, mostly Wurlitzer, that Orville Cooper (Long Beach, California) bought in Louisville, Kentucky and had shipped to California sometime in the late 1940s.   |                    |            |             |             |   |             |           |
| 20260   | I 65-Note Piano    | --         | Oak         | Green       | 10 Tune (shaft drive).                      | ----        | 1914      |
| Instrumentation: Piano with mandolin attachment.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Motor: Non original motor.  |                    |            |             |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.  |                    |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.   |                    |            |             |             |   |             |           |
| Art Glass: Three scenic art glass panels across front.  |                    |            |             |             |   |             |           |
| 20272   | CX Orchestra Piano | --         | -----       | -----       | Roll Changer (non-orig.).                   | ----        | 1913      |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.  |                    |            |             |             |   |             |           |
| Roll Mechanism: Roll Changer - Non-original, other details unknown. Plays 65-Note APP music rolls.  |                    |            |             |             |   |             |           |

| S/N  | Style Description  | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|--------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                    | No.        | Case Finish |             |   |             |           |
| 20280  | I 65-Note Piano    | 2          | Oak         | Black       | 10 Tune (shaft drive).                      | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.                              |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Motor: Non-original motor.   |                    |            |             |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.   |                    |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.   |                    |            |             |             |   |             |           |
| Art Glass: 3 square panels with inset decorative wooden frames, center glass is clear, side panels are solid colored glass,  |                    |            |             |             |   |             |           |
| Comments: Fancy case. The inset decorative wooden frames that hold the glass panels look like an Arabian turret design.  |                    |            |             |             |   |             |           |
| 20332  | A 65-Note Piano    | --         | -----       | ----        | 10 Tune roll frame, No. 1709.               | ----        | ----      |
| Instrumentation: Piano with mandolin attachment and one rank of pipes (behind piano sounding board).   |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame - details unknown. Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| 20787  | DX 65-Note w/Pipes | --         | Oak         | Green       | Roll Changer (early-2), No. 1333.           | ----        | 1913      |
| Instrumentation: Piano with mandolin attachment, with violin and flute pipes behind the piano.   |                    |            |             |             |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls. |                    |            |             |             |   |             |           |
| Gear Standard: Heavy Gear Standard, SA 200 HG 3 Heavy Gear Std. (enclosed). 9-3/8" high. Note: Pot metal crankshaft bushings. Oil pan.Motor: Holtzer-Cabot.  |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                    |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                    |            |             |             |   |             |           |
| Art Glass: Scenic panels flanking the roll access door; two hanging brass art glass lamps.   |                    |            |             |             |   |             |           |
| 20978  | CX Orchestra Piano | --         | -----       | ----        | Roll Changer (early-2), No. 1271.           | ----        | 1913      |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls. |                    |            |             |             |   |             |           |
| 21264  | BX Orchestra Piano | --         | Golden Oak  | ----        | Roll Changer (early-2), No. 1312.           | 1054        | 1914      |
| Instrumentation: Piano, Mandolin attachment, Violin pipes, Bass and Snare drums, Triangle and 14 Orchestra bells.  |                    |            |             |             |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls. |                    |            |             |             |   |             |           |
| Gear Standard: Heavy Gear Standard, SA 200 HG 3 Heavy Gear Std. (enclosed). 9-3/8" high. S/N: 1054. Note: Pot metal crankshaft bushings.Motor: Holtzer Cabot Type ST 15 #145601.                                     |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                    |            |             |             |   |             |           |
| Art Glass: Shield at bottom and scenic top for side doors; scenic with house on a hill for center panel.   |                    |            |             |             |   |             |           |
| Comments: Inlay case.  |                    |            |             |             |   |             |           |

| S/N  | Style Description  | Case Style |             |             | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|--------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                    | No.        | Case Finish | Plate Color |   |             |           |
| 21274  | BX Orchestra Piano | --         | Golden Oak  | Green       | Roll Changer (early-2), No. 1301.           | 965         | 1914      |
| Instrumentation: Piano, mandolin attachment, violin pipes. Bass drum, snare drum, and triangle.  |                    |            |             |             |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.                             |                    |            |             |             |   |             |           |
| Gear Standard: Heavy Gear Standard, SA 200 HG 3 Heavy Gear Std. (enclosed). 9-3/8" high. S/N: 965. Motor: Holtzer-Cabot; Type: ST 16 (Mfr. For Rudolph Wurlitzer Co.).   |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                    |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                    |            |             |             |   |             |           |
| Art Glass: Shield at bottom and scenic top for side doors; scenic with house on a hill for center panel.   |                    |            |             |             |   |             |           |
| Comments: Inlay on side doors and decorative front keyboard legs.  |                    |            |             |             |   |             |           |
| 21386  | B Orchestra Piano  | --         | Oak         | Green       | 10 Tune (shaft drive).                      | ----        | 1914      |
| Instrumentation: Doppie flutes. New drums and actions.   |                    |            |             |             |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.  |                    |            |             |             |   |             |           |
| Gear Standard: Heavy Gear Standard, SA 200 HG 3 Heavy Gear Std. (enclosed). 9-3/8" high. Note: Painted gray. Motor: Non original motor.  |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                    |            |             |             |   |             |           |
| Coin Switch: Ratchet wheel type accumulator and electrical switch.   |                    |            |             |             |   |             |           |
| Art Glass: Shield at bottom and scenic top for side doors; scenic with house on a hill for center panel.   |                    |            |             |             |   |             |           |
| 21502  | G Photoplayer      | 3          | -----       | Gold        | 10 Tune (shaft drive), No. 3378.            | ----        | ----      |
| Stack Type: Early valve chest over three pneumatic deck boards; keyboard levers.   |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Cam wheel on vertical drive shaft with flushing valve. Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Comments: Single side cabinet. Single 10 tune friction drive roll frame, mechanical rewind operated from drive shaft cam. 2-3 ranks of pipes missing, some percussion, others added. Added stack # 23141 in May of 2008.                         |                    |            |             |             |   |             |           |
| 21664  | IX 65-Note Piano   | --         | -----       | -----       | Roll Changer (late-1), No. 1341.            | ----        | 1914      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |             |             |   |             |           |
| Stack Type: Horizontal valves, coil springs and three pneumatic deck boards, keyboard levers.  |                    |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), all cast iron castings. Plays 65-Note APP music rolls.  |                    |            |             |             |   |             |           |
| 21922  | I 65-Note Piano    | --         | -----       | -----       | 10 Tune (shaft drive).                      | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |             |             |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.  |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Note: Worm shaft in gear standard is larger diameter than in Wurlitzer Style IX #16040. Pot metal crankshaft bushings. Motor: Holtzer Cabot #119144 (made for R.W.Co.).          |                    |            |             |             |   |             |           |
| Coin Switch: Ball counting type accumulator and electrical switch.   |                    |            |             |             |   |             |           |
| Comments: Gargoyle style case. Tuned May 1920. Believe this piano was rebuilt by WurliTzer; has the new style pump, vacuum rewind and action cut off, and ball counter coin mechanism. Rewind cam and follower still there from original rewind. |                    |            |             |             |   |             |           |



| S/N  | Style Description  | Case Style |               | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|--------------------|------------|---------------|-------------|---|-------------|-----------|
|  |                    | No.        | Case Finish   |             |   |             |           |
| 22207  | S 65-Note Piano    | --         | Oak           | Green       | 10 Tune (belt drive), No. 2305.             | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |               |             |   |             |           |
| Stack Type: Early valve chest over three pneumatic deck boards.  |                    |            |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Pump moving-board finger engages trip lever triggered by small pneumatic. Plays 65-Note APP music rolls.                               |                    |            |               |             |   |             |           |
| Pump Type: High speed belted vacuum pump, two separate double-acting bellows, overhead crankshaft, attached vacuum reservoir.  |                    |            |               |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                    |            |               |             |   |             |           |
| Art Glass: Slightly arched center panel of very simple art glass design flanked by slightly arched smaller side panels.  |                    |            |               |             |   |             |           |
| Comments: Roll mechanism is below the keyboard. Front right coin drop. Early style cast trip lever mounted on shelf, attached to rod with linkage.   |                    |            |               |             |   |             |           |
| 22212  | CX Orchestra Piano | --         | Quartered Oak | Green       | Roll Changer (early-2), No. 1482.           | 1543        | 1915      |
| Instrumentation: Violin and stopped flute pipes.   |                    |            |               |             |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                    |            |               |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls. |                    |            |               |             |   |             |           |
| Gear Standard: Heavy Gear Standard, SA 200 HG 3 Heavy Gear Std. (enclosed). 9-3/8" high. S/N: 1543. Motor: Holtzer-Cabot.  |                    |            |               |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                    |            |               |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                    |            |               |             |   |             |           |
| Art Glass: Grecian case with triangular inlay on side doors and standard art glass. Wonder light: Original with Instrument; Vertical shaft through top of case with belt pulley outside.                             |                    |            |               |             |   |             |           |
| Comments: Bells and xylophone added by Haning & White. Xylophone since removed.  |                    |            |               |             |   |             |           |
| 22252  | I 65-Note Piano    | 4          | -----         | -----       | 10 Tune (shaft drive).                      | ----        | ----      |
| Instrumentation: Piano with Mandolin attachment.   |                    |            |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Two-ramp cam on vertical shaft with flushing valve. Plays 65-Note APP music rolls.  |                    |            |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Motor: Holtzer-Cabot, 110 Volt, 1150 RPM (for R.W.Co.).  |                    |            |               |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.   |                    |            |               |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                    |            |               |             |   |             |           |
| Art Glass: 6 narrow rectangular art glass windows across front.  |                    |            |               |             |   |             |           |
| Comments: Curved lid and inlaid trim.  |                    |            |               |             |   |             |           |
| 22434  | I 65-Note Piano    | 4          | -----         | Green       | 10 Tune (shaft drive).                      | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.                              |                    |            |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Motor: Non original motor.   |                    |            |               |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.   |                    |            |               |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.   |                    |            |               |             |   |             |           |
| Art Glass: Long scenic art glass window across front.  |                    |            |               |             |   |             |           |
| Comments: Curved top. Spool frame altered to play A rolls.   |                    |            |               |             |   |             |           |
| 22609  | O Photoplayer      | --         | -----         | -----       | 10 Tune Duplex.                             | ----        | ----      |
| Roll Mechanism: 10-tune duplex roll frame, shaft drive. Plays 65-Note APP music rolls.   |                    |            |               |             |   |             |           |

| S/N  | Style Description  | Case Style |                 |             | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|--------------------|------------|-----------------|-------------|---|-------------|-----------|
|  |                    | No.        | Case Finish     | Plate Color |   |             |           |
| 22676  | IX 65-Note Piano   | --         | Silver Grey Oak | Green       | Roll Changer (early-2), No. 1511.           | ----        | 1915      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |                 |             |   |             |           |
| Stack Type: Early deKleist valve chest above three pneumatic deck boards.  |                    |            |                 |             |   |             |           |
| Roll Mechanism: Early roll changer (chain and large tempo knob on right side), and brake pads. Plays 65-Note APP music rolls.  |                    |            |                 |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base. 6-3/4" high. Motor: Holtzer-Cabot Electric Co., Model ST15, S/N 154177, 1150 RPM.   |                    |            |                 |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.   |                    |            |                 |             |   |             |           |
| Coin Switch: Ratchet wheel type accumulator and electrical switch.   |                    |            |                 |             |   |             |           |
| Comments: Found on Long Island by Joseph Hanulec in original unrestored condition.   |                    |            |                 |             |   |             |           |
| 22683  | I 65-Note Piano    | 4          | Oak             | -----       | 10 Tune (shaft drive).                      | ----        | ----      |
| Instrumentation: Piano with mandolin attachment. Bells added.  |                    |            |                 |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Plays 65-Note APP music rolls.   |                    |            |                 |             |   |             |           |
| Comments: Curved lid.  |                    |            |                 |             |   |             |           |
| 22994  | A 65-Note Piano    | --         | -----           | -----       | 10 Tune roll frame, No. 3890.               | ----        | ----      |
| Instrumentation: Piano with mandolin attachment and one rank of pipes (behind piano sounding board).   |                    |            |                 |             |   |             |           |
| Roll Mechanism: 10-tune roll frame - details unknown. Plays 65-Note APP music rolls.   |                    |            |                 |             |   |             |           |
| 22995  | I 65-Note Piano    | --         | -----           | -----       | Unknown roll mechanism.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |                 |             |   |             |           |
| Plays 65-Note APP music rolls.   |                    |            |                 |             |   |             |           |
| Comments: Parts piano - junked.  |                    |            |                 |             |   |             |           |
| 23187  | DX 65-Note w/Pipes | --         | Oak             | Green       | Unknown roll mechanism.                     | ----        | 1915      |
| Instrumentation: Piano with mandolin attachment and two ranks of pipes.  |                    |            |                 |             |   |             |           |
| Plays 65-Note APP music rolls.   |                    |            |                 |             |   |             |           |
| Comments: Empty case, die stamped DX.  |                    |            |                 |             |   |             |           |
| 23187  | DX 65-Note w/Pipes | --         | Oak             | Green       | Roll Changer.                               | ----        | ----      |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                    |            |                 |             |   |             |           |
| Roll Mechanism: Roll Changer - details unknown. Plays 65-Note APP music rolls.   |                    |            |                 |             |   |             |           |
| Gear Standard: Heavy Gear Standard, SA 200 HG 3 Heavy Gear Std. (enclosed). 9-3/8" high. Note: Oil pan.  |                    |            |                 |             |   |             |           |
| Art Glass: Scenic design for panels flanking the roll access door.   |                    |            |                 |             |   |             |           |
| Comments: Rough condition; mostly gutted.  |                    |            |                 |             |   |             |           |
| 23802  | I 65-Note Piano    | --         | Silver Grey Oak | Green       | 10 Tune (shaft drive).                      | ----        | 1915      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |                 |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Plays 65-Note APP music rolls.   |                    |            |                 |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Note: Oil pan. Motor: Holtzer-Cabot, 1150 RPM (for R.W.Co.).   |                    |            |                 |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.   |                    |            |                 |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.   |                    |            |                 |             |   |             |           |
| Art Glass: Long art glass window across front.   |                    |            |                 |             |   |             |           |
| Comments: Fancy case with gargoyle faces, curved arms, and inlay strips. Believed to have come from the Knott's Berry farm auction to Kim Bunker--Orange Coast Piano. Offered for sale by Orange Coast Piano, with current status unknown. |                    |            |                 |             |   |             |           |

| S/N  | Style Description  | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|--------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                    | No.        | Case Finish |             |   |             |           |
| 23906  | I 65-Note Piano    | 5          | Oak         | Green       | 10 Tune roll frame.                         | ----        | ----      |
| Instrumentation: Piano with mandolin attachment. Added drum with cymbal in bottom of piano.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame - details unknown. Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                    |            |             |             |   |             |           |
| Art Glass: Three Egyptian theme art glass windows across front.  |                    |            |             |             |   |             |           |
| Comments: Fancy Egyptian case, style 5. Remnants of original painted scene visible on bottom or kick board. Mostly original, but missing pump and original glass lamp shades.  |                    |            |             |             |   |             |           |
| 24137  | O Photoplayer      | --         | -----       | -----       | Unknown roll mechanism.                     | ----        | ----      |
| Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Comments: Listed on eBay; One side chest converted into a wardrobe.  |                    |            |             |             |   |             |           |
| Owner: (reported 9/18/2009)  |                    |            |             |             |   |             |           |
| 24200  | K Photoplayer      | 5          | Oak         | Gold        | 10 Tune Duplex.                             | ----        | ----      |
| Roll Mechanism: 10-tune duplex roll frame, windmotor drive. Plays Concert PianOrchestra rolls.   |                    |            |             |             |   |             |           |
| Pump Type: External blower.  |                    |            |             |             |   |             |           |
| Comments: Two large side chests; ornate cabinet with exposed display pipes and carved applique. Roll frame wind motors resemble a Welte 3-point motor. Originally played Concert PianOrchestra rolls; converted to Mandolin PianOrchestra rolls during restoration.  |                    |            |             |             |   |             |           |
| 24490  | G Photoplayer      | 3          | Oak         | Green       | 10 Tune roll frame.                         | ----        | ----      |
| Roll Mechanism: 10-tune roll frame - details unknown. Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Comments: No side chest.   |                    |            |             |             |   |             |           |
| 24647  | BX Orchestra Piano | --         | -----       | -----       | Roll Changer (late-1), No. 1787.            | ----        | 1916      |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), all cast iron castings. Plays 65-Note APP music rolls.  |                    |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Note: Small gear standard. 2-1/4" O.D. fiber gear on vertical shaft.   |                    |            |             |             |   |             |           |
| 24658  | K Photoplayer      | 5          | Oak         | Gold        | 10 Tune Duplex.                             | ----        | ----      |
| Roll Mechanism: 10-tune duplex roll frame, windmotor drive. Plays Concert PianOrchestra rolls.   |                    |            |             |             |   |             |           |
| Pump Type: External blower.  |                    |            |             |             |   |             |           |
| Comments: Originally located in the Strand Theater in Auckland, NZ. Discovered circa 2010. Rough condition with many parts missing. Currently in the process of being restored through a grant from the NZ Lottery Grants Board to the Photoplayer Restoration Trust, NZ ( <a href="http://wurlitzerphotoplayer.wix.com/site-rebuild#!">http://wurlitzerphotoplayer.wix.com/site-rebuild#!</a> ). Roll frame windmotors resembles a Welte 3-point air motor. |                    |            |             |             |   |             |           |
| 24789  | A 65-Note Piano    | --         | -----       | -----       | Unknown roll mechanism.                     | ----        | ----      |
| Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Comments: Sold at auction, previously owned by the late Frank Rayle.   |                    |            |             |             |   |             |           |
| 25110  | I 65-Note Piano    | --         | Oak         | Green       | Unknown roll mechanism.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |             |             |   |             |           |
| Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Art Glass: Long window with geometric pattern across front.  |                    |            |             |             |   |             |           |
| Comments: Fancy case. Sold on Craigslist and thought to be an empty case.  |                    |            |             |             |   |             |           |

| S/N  | Style Description    | Case Style |                 | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|----------------------|------------|-----------------|-------------|---|-------------|-----------|
|  |                      | No.        | Case Finish     |             |   |             |           |
| 25732  | I 65-Note Piano      | --         | Oak             | -----       | Unknown mechanism.                          | ----        | ----      |
| Roll Mechanism: Unknown roll mechanism - details not available. Plays 65-Note APP music rolls.   |                      |            |                 |             |   |             |           |
| Art Glass: Solid single piece of art glass across front.   |                      |            |                 |             |   |             |           |
| Comments: Curved arms, gargoyle applique. Roy Hofheinz Auction, circa 1984, no other information available.  |                      |            |                 |             |   |             |           |
| 26105  | IX 65-Note Piano     | --         | -----           | -----       | Roll Changer, No. 1979.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |                 |             |   |             |           |
| Roll Mechanism: Roll Changer - details unknown. Plays 65-Note APP music rolls.   |                      |            |                 |             |   |             |           |
| 26211  | I 65-Note Piano      | --         | Oak / Gold Trim | Gold        | 10 Tune (shaft drive).                      | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |                 |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.  |                      |            |                 |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.   |                      |            |                 |             |   |             |           |
| Art Glass: Long art glass window across front. 3 solid art glass panels across bottom or kick board.   |                      |            |                 |             |   |             |           |
| Comments: Fancy case with gargoyles and rounded keyboard arms. Offered for sale on eBay, December, 2012, located in Albuquerque, NM.   |                      |            |                 |             |   |             |           |
| 26692  | A 65-Note Piano      | 5          | Oak             | Gold        | 10 Tune (shaft drive).                      | ----        | ----      |
| Instrumentation: Piano with mandolin attachment, and a rank of violin pipes (behind piano sounding board).   |                      |            |                 |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.  |                      |            |                 |             |   |             |           |
| Coin Switch: Ratchet wheel type accumulator and electrical switch.   |                      |            |                 |             |   |             |           |
| 26743  | BX Orchestra Piano   | --         | Oak             | Green       | Roll Changer (late-1), No. 2080.            | ----        | 1916      |
| Instrumentation: Violin and Dopppe flute pipes. Bells added.   |                      |            |                 |             |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                      |            |                 |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), all cast iron castings. Rewind Trip: Two-ramp cam on vertical shaft with flushing valve. Plays 65-Note APP music rolls.   |                      |            |                 |             |   |             |           |
| Gear Standard: Heavy Gear Standard, SA (xxx xx) 1B (Style-B enclosed). 7-1/4" high. Note: Oil pan. Heavy Gear Standard nameplate; Type SA xxx xx 1B, with the "200 HG" part of the nameplate type field crossed-out and/or obliterated. Motor: Holtzer-Cabot, Type 02, 1/6 H.P., 1200 RPM. |                      |            |                 |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |                 |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                      |            |                 |             |   |             |           |
| Art Glass: Geometric matching design in side doors, top center window, and roll frame access door. Wonder light: Original with Instrument; Vertical shaft drive inside case with belt pulley under top.  |                      |            |                 |             |   |             |           |
| 26930  | Violin-Flute Pianino | --         | Mission Oak     | Green       | 10 Tune (belt drive).                       | ----        | ----      |
| Instrumentation: 44-note piano, with mandolin attachment, violin and flute pipes.  |                      |            |                 |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Tall Open Gear Standard with triangular cam operated rewind trip lever. Plays 44-Note Pianino music rolls.   |                      |            |                 |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base with Rewind Linkage. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabot.  |                      |            |                 |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                      |            |                 |             |   |             |           |
| Comments: Once featured in Moody's Musical Museum, McGregor, Iowa.   |                      |            |                 |             |   |             |           |

| S/N  | Style Description    | Case Style |             |       | Plate Color                       | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|----------------------|------------|-------------|-------|-----------------------------------|---|-------------|-----------|
|  |                      | No.        | Case Finish |       |                                   |   |             |           |
| 27388  | EX Orchestra Piano   | --         | -----       | ----- | Roll Changer (late-2), No. 2231?. | ----  | 1917        |           |
| Instrumentation: Orchestra bells added.  |                      |            |             |       |                                   |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                      |            |             |       |                                   |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Plays 65-Note APP music rolls.                                   |                      |            |             |       |                                   |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Note: Small gear standard. 2-1/4" O.D. fiber gear on vertical shaft.                             |                      |            |             |       |                                   |   |             |           |
| 27942  | Violin-Flute Pianino | --         | -----       | ----- | Unknown roll mechanism.           | ----  | ----        |           |
| Instrumentation: Piano with mandolin attachment, violin and flute pipes.   |                      |            |             |       |                                   |   |             |           |
| Plays 44-Note Pianino music rolls.   |                      |            |             |       |                                   |   |             |           |
| 28384  | IX 65-Note Piano     | --         | -----       | ----- | Roll Changer, No. 3403.           | ----  | ----        |           |
| Instrumentation: Piano with mandolin attachment.   |                      |            |             |       |                                   |   |             |           |
| Roll Mechanism: Roll Changer - details unknown. Plays 65-Note APP music rolls.   |                      |            |             |       |                                   |   |             |           |
| 28395  | IX 65-Note Piano     | 22         | -----       | ----- | Roll Changer (late-2), No. 2419.  | ----  | 1917        |           |
| Instrumentation: Piano with mandolin attachment.   |                      |            |             |       |                                   |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |            |             |       |                                   |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Plays 65-Note APP music rolls.                                   |                      |            |             |       |                                   |   |             |           |
| 29738  | G Photoplayer        | --         | -----       | ----- | 10 Tune Duplex, Nos. 342-342.     | ----  | ----        |           |
| Roll Mechanism: 10-tune duplex roll frame, shaft drive. Plays 65-Note APP music rolls.   |                      |            |             |       |                                   |   |             |           |
| 29758  | CX Orchestra Piano   | --         | Oak         | Green | Roll Changer (late-2), No. 2649.  | ----  | ----        |           |
| Instrumentation: Spring Tension Drums. Bells added.  |                      |            |             |       |                                   |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                      |            |             |       |                                   |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Plays 65-Note APP music rolls.                                   |                      |            |             |       |                                   |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |             |       |                                   |   |             |           |
| Coin Entry: Die-cast with vertical slot.   |                      |            |             |       |                                   |   |             |           |
| Art Glass: Grecian case, triangular inlay and shield art glass on side doors, scenic center glass, lyre design on roll access door.  |                      |            |             |       |                                   |   |             |           |
| 30696  | SA 65-Note Piano     | --         | -----       | ----- | 10 Tune (belt drive), No. 5762.   | ----  | ----        |           |
| Instrumentation: Piano with mandolin attachment and one rank of pipes.   |                      |            |             |       |                                   |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Pump moving-board finger engages trip lever triggered by small pneumatic. Plays 65-Note APP music rolls. |                      |            |             |       |                                   |   |             |           |
| Pump Type: High speed belted combination pump, two separate double-acting bellows, overhead crank, attached vacuum reservoir.  |                      |            |             |       |                                   |   |             |           |

| S/N  | Style Description    | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|----------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                      | No.        | Case Finish |             |   |             |           |
| 30872  | CX Orchestra Piano   | --         | Oak         | Green       | Roll Changer (late-2), No. 2858.            | ----        | ----      |
| Instrumentation: Spring tension drums.   |                      |            |             |             |   |             |           |
| Stack Type: Early valve chest over three pneumatic deck boards.  |                      |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays 65-Note APP music rolls. |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.   |                      |            |             |             |   |             |           |
| Art Glass: Grecian case, triangular inlay and shield art glass on side doors, scenic center glass, lyre design on roll access door.  |                      |            |             |             |   |             |           |
| Wonder light: Missing/Lost unit.   |                      |            |             |             |   |             |           |
| Comments: Large triangular inlays in bottom half of side doors. Wonder Light gallery present, but Wonder Light apparatus is missing. Wurlitzer stack number matches piano serial number.   |                      |            |             |             |   |             |           |
| 31054  | IX 65-Note Piano     | --         | Golden Oak  | Green       | Unknown roll mechanism.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |             |             |   |             |           |
| Plays 65-Note APP music rolls.   |                      |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.   |                      |            |             |             |   |             |           |
| Comments: Curved arms, inlay on case. Empty case--all player mechanisms gutted. Offered on ebay in April, 2014.  |                      |            |             |             |   |             |           |
| 31340  | IX 65-Note Piano     | 22         | Oak         | Green       | Roll Changer (late-2), No. 2953.            | ----        | 1918      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |             |             |   |             |           |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                      |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays 65-Note APP music rolls. |                      |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, SA-1B (53-tooth Gear, Style-B enclosed). 7-1/4" high. Note: Oil pan.Motor: Emerson 1/6 H.P. #M12824, type 73620 BK, 1150 rpm.   |                      |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.   |                      |            |             |             |   |             |           |
| Art Glass: Long art glass window across front.   |                      |            |             |             |   |             |           |
| Comments: Gargoyle head case, curved arms. Unrestored, very clean original, offered on eBay Jan, 2010.   |                      |            |             |             |   |             |           |
| 31826  | Violin-Flute Pianino | --         | Oak         | Green       | 10 Tune (belt drive), No. 5881.             | ----        | 1917      |
| Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes. Small snare drum added.   |                      |            |             |             |   |             |           |
| Stack Type: Early valve chest over three pneumatic deck boards.  |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Early Direct Drive Gear with triangular cam operated trip lever. Plays 44-Note Pianino music rolls.  |                      |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley. Note: Pot metal crankshaft bushings.   |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.   |                      |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                      |            |             |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.  |                      |            |             |             |   |             |           |
| Comments: Newspaper in pump dated December 28, 1917. Restored by Dana Johnson in 2003.   |                      |            |             |             |   |             |           |
| 33922  | BX Orchestra Piano   | --         | -----       | -----       | Roll Changer (late-2), No. 3223.            | ----        | 1918      |
| Stack Type: Horizontal valves with coil springs and three pneumatic deck boards.   |                      |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Plays 65-Note APP music rolls.   |                      |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, SA-1B (53-tooth Gear, Style-B enclosed). 7-1/4" high. Note: Small gear standard. 2-1/4" O.D. fiber gear on vertical shaft.  |                      |            |             |             |   |             |           |

| S/N  | Style Description  | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|--------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                    | No.        | Case Finish |             |   |             |           |
| 34449  | IX 65-Note Piano   | --         | Golden Oak  | Green       | Roll Changer (late-2), No. 3188.            | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Comments: Brass nameplate: Wm. P. Mertens & Co./Charlottesville, Virginia. This piano was offered to Brad McClincy. He reported it to Art Reblitz in May, 2017. No other details are known.  |                    |            |             |             |   |             |           |
| 34704  | C Orchestra Piano  | --         | -----       | ----        | 10 Tune (shaft drive).                      | ----        | 1918      |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Note: Small gear standard. 2-1/4" O.D. fiber gear on vertical shaft.   |                    |            |             |             |   |             |           |
| 35326  | BX Orchestra Piano | --         | Oak         | Gold        | Roll Changer (late-2), No. 3397.            | ----        | 1918      |
| Instrumentation: Spring tension drums.   |                    |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and flushing valve. Plays 65-Note APP music rolls.      |                    |            |             |             |   |             |           |
| Gear Standard: Heavy Gear Standard, Heavy Gear Standard - Details Unknown. 9-3/8" high. Note: Oil pan.Motor: Holtzer-Cabot.  |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                    |            |             |             |   |             |           |
| Coin Switch: Ratchet wheel type accumulator and electrical switch.   |                    |            |             |             |   |             |           |
| Art Glass: Side doors, center panel, and music roll access doors are of a geometric shield design. Wonder light: Replica/Reproduction unit.  |                    |            |             |             |   |             |           |
| Comments: Reproduction Wonder Light, extended gallery, and extra carvings added.   |                    |            |             |             |   |             |           |
| 35581  | CX Orchestra Piano | 9          | -----       | ----        | Roll Changer (late-2), No. 3434.            | ----        | 1918      |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| 35679  | I 65-Note Piano    | --         | -----       | ----        | Unknown roll mechanism.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |             |             |   |             |           |
| Plays 65-Note APP music rolls.   |                    |            |             |             |   |             |           |
| 35895  | Solo Violin Piano  | --         | Oak         | ----        | Roll Changer (late-2), No. 3412.            | ----        | 1918      |
| Instrumentation: Piano and violin pipes in swell chamber at back of piano.   |                    |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays Solo Violin music rolls. |                    |            |             |             |   |             |           |
| Comments: Belt driven roll changer. Friction clutch for action cut out instead of flushing valve.  |                    |            |             |             |   |             |           |

| S/N  | Style Description    | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|----------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                      | No.        | Case Finish |             |   |             |           |
| 35949  | CX Orchestra Piano   | 9          | Oak         | Green       | Roll Changer (late-2), No. 3475.            | ----        | 1918      |
| Instrumentation: Bells added.  |                      |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays 65-Note APP music rolls. |                      |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, SA-1B (53-tooth Gear, Style-B enclosed). 7-1/4" high. Note: Pot metal crankshaft bushings. Motor: Holtzer-Cabot #228050 (for R.W.Co.).  |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                      |            |             |             |   |             |           |
| Art Glass: Art Deco floral design in two vertically narrow panels in each side door and one large top center panel. Wonder light: Original with Instrument; Vertical shaft drive inside case with belt pulley under top.                 |                      |            |             |             |   |             |           |
| Comments: Restored by Reblitz Restorations.  |                      |            |             |             |   |             |           |
| 36881  | I 65-Note Piano      | 23         | Golden Oak  | Gold        | 10 Tune (shaft drive), No. 7432.            | ----        | 1919      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards, stack #36881.   |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Large vertical rewind pneumatic with Wurlitzer 4-in-1 pot metal valve. Plays 65-Note APP music rolls.   |                      |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Note: Oil pan. Motor: Non original motor.  |                      |            |             |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.   |                      |            |             |             |   |             |           |
| Art Glass: Two narrow art deco arched art glass panels flanking a center oval art glass panel.   |                      |            |             |             |   |             |           |
| Comments: 10 tune roll frame, take-up spool with ribs.   |                      |            |             |             |   |             |           |
| 36986  | I 65-Note Piano      | 22         | Golden Oak  | Green       | 10 Tune (shaft drive).                      | ----        | 1919      |
| Instrumentation: Piano with mandolin attachment, with 7 bells added left of roll frame and 7 bells added below keybed.   |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Single ramp cam (on vertical shaft) with cam-follower and flushing valve. Plays 65-Note APP music rolls.  |                      |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Motor: Holtzer-Cabot.  |                      |            |             |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.   |                      |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.   |                      |            |             |             |   |             |           |
| Art Glass: Long geometric style art glass window across front, with unusual grid pattern of clear glass in the center (a later repair?).   |                      |            |             |             |   |             |           |
| Comments: Curved arms. It is wondered if the unusual grid pattern of clear glass in the center of the art glass panel is a later repair.   |                      |            |             |             |   |             |           |
| 37264  | Violin-Flute Pianino | --         | -----       | -----       | Unknown roll mechanism.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment, violin and flute pipes.   |                      |            |             |             |   |             |           |
| Plays 44-Note Pianino music rolls.   |                      |            |             |             |   |             |           |
| 37513  | CX Orchestra Piano   | --         | -----       | -----       | Roll Changer (late-2), No. 3307.            | ----        | 1919      |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Plays 65-Note APP music rolls.   |                      |            |             |             |   |             |           |
| 38485  | O Photoplayer        | 3          | Oak         | Gold        | 10 Tune Duplex, Nos. 560-560.               | ----        | ----      |
| Stack Type: Early valve chest over three pneumatic deck boards; keyboard levers. Stack #38485.   |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune duplex roll frame, shaft drive. Plays 65-Note APP music rolls.   |                      |            |             |             |   |             |           |
| Comments: Bought from original owner's family. 2 side chests, unrestored, but very complete, plays APP rolls.  |                      |            |             |             |   |             |           |



| S/N  | Style Description    | Case Style |                 | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|----------------------|------------|-----------------|-------------|---|-------------|-----------|
|  |                      | No.        | Case Finish     |             |   |             |           |
| 38827  | I 65-Note Piano      | 22         | Golden Oak      | Gold        | 10 Tune (shaft drive).                      | ----        | 1919      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |                 |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |            |                 |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays 65-Note APP music rolls.   |                      |            |                 |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Motor: Non original motor.   |                      |            |                 |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.   |                      |            |                 |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                      |            |                 |             |   |             |           |
| Art Glass: Long geometric art glass window across front.   |                      |            |                 |             |   |             |           |
| Comments: Curved arms.   |                      |            |                 |             |   |             |           |
| 39296  | CX Orchestra Piano   | --         | -----           | -----       | Roll Changer, No. 1891.                     | ----        | 1919      |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |            |                 |             |   |             |           |
| Roll Mechanism: Roll Changer - details unknown. Plays 65-Note APP music rolls.   |                      |            |                 |             |   |             |           |
| Comments: Judging by the serial number of this roll changer it must be from an earlier piano.  |                      |            |                 |             |   |             |           |
| 39358  | CX Orchestra Piano   | --         | Silver Grey Oak | Gold        | Roll Changer (late-2), No. 3763.            | ----        | 1919      |
| Instrumentation: Late style drums with spring tensioners. Violin and flute pipes.  |                      |            |                 |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |            |                 |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays 65-Note APP music rolls. |                      |            |                 |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Note: Possibly a Type SA-BB. Motor: Holtzer-Cabot (for R.W.Co.).   |                      |            |                 |             |   |             |           |
| Pump Type: Movable center-board vacuum and separate pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |                 |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                      |            |                 |             |   |             |           |
| Art Glass: Geometric design in two vertically narrow panels in side doors; one large panel top center and in roll access door.   |                      |            |                 |             |   |             |           |
| Wonder light: Replica/Reproduction unit.   |                      |            |                 |             |   |             |           |
| Comments: Reproduction gallery and Wonder Light with associated belting and pulleys installed.   |                      |            |                 |             |   |             |           |
| 39520  | Violin-Flute Pianino | --         | Blond Oak       | Green       | 10 Tune (belt drive), No. 6836.             | ----        | ----      |
| Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes.   |                      |            |                 |             |   |             |           |
| Stack Type: Early valve chest above three pneumatic deck boards.   |                      |            |                 |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Tall Open Gear Standard with triangular cam operated rewind trip lever. Plays 44-Note Pianino music rolls.   |                      |            |                 |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base w/tall spacer block. 6-3/4" high. 5" O.D. split wooden pulley.   |                      |            |                 |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.   |                      |            |                 |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                      |            |                 |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.  |                      |            |                 |             |   |             |           |
| 39539  | CX Orchestra Piano   | 9          | -----           | Gold        | Roll Changer (late-2).                      | ----        | 1920      |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |            |                 |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Plays 65-Note APP music rolls.   |                      |            |                 |             |   |             |           |
| Comments: Ghost Town Wild West Museum, Colorado Springs, Colorado.   |                      |            |                 |             |   |             |           |

| S/N   | Style Description    | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|---|----------------------|------------|-------------|-------------|---|-------------|-----------|
|   |                      | No.        | Case Finish |             |   |             |           |
| 40224   | IX 65-Note Piano     | 22         | Oak         | Gold        | Roll Changer (late-2), No. 2833.            | ----        | 1920      |
| Instrumentation: Piano with mandolin attachment.  |                      |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                      |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and flushing valve. Plays 65-Note APP music rolls. |                      |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Note: Oil pan.Motor: Holtzer-Cabot.   |                      |            |             |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.  |                      |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.  |                      |            |             |             |   |             |           |
| Art Glass: Long geometric art glass window across front.  |                      |            |             |             |   |             |           |
| Comments: Curved arms. Roll changer moved to Wurlitzer Style CX #34,704, replaced with standard 10-tune shaft drive roll frame.   |                      |            |             |             |   |             |           |
| 40507   | Violin-Flute Pianino | --         | Oak         | Green       | 10 Tune (belt drive), No. 411 ?.            | ----        | 1921      |
| Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes.  |                      |            |             |             |   |             |           |
| Stack Type: Early valve chest above three pneumatic deck boards.  |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Tall Open Gear Standard with triangular cam operated rewind trip lever. Plays 44-Note Pianino music rolls.  |                      |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base with Rewind Linkage. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Small frame Holtzer-Cabot, 110 volts, 4 pole, #55529.  |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.   |                      |            |             |             |   |             |           |
| Art Glass: 3 panels of floral design opalescent glass.  |                      |            |             |             |   |             |           |
| Comments: Inlay case, with flame carvings on bottom panel. Coin slot mounted on left side of case. Destroyed in fire in November of 2006.   |                      |            |             |             |   |             |           |
| 42131   | O Photoplayer        | --         | -----       | -----       | 10 Tune Duplex, Nos. 913-913.               | ----        | ----      |
| Roll Mechanism: 10-tune duplex roll frame, shaft drive. Plays 65-Note APP music rolls.  |                      |            |             |             |   |             |           |
| 42163   | Solo Violin Piano    | --         | -----       | -----       | Roll Changer (late-2), No. 4150.            | ----        | ----      |
| Instrumentation: Piano and violin pipes in swell chamber at back of piano.  |                      |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Plays Solo Violin music rolls.  |                      |            |             |             |   |             |           |
| 42167   | O Photoplayer        | --         | Oak         | Green       | 10 Tune Duplex.                             | ----        | ----      |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune duplex roll frame, shaft drive. Plays 65-Note APP music rolls.  |                      |            |             |             |   |             |           |
| 42544   | I 65-Note Piano      | 22         | Oak         | Green       | 10 Tune roll frame.                         | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.  |                      |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame - details unknown. Plays 65-Note APP music rolls.  |                      |            |             |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.  |                      |            |             |             |   |             |           |
| Art Glass: long window with floral pattern across front--badly damaged and mostly missing.  |                      |            |             |             |   |             |           |
| Comments: Curved arms. Rough condition, probably parts missing.   |                      |            |             |             |   |             |           |

| S/N   | Style Description  | Case Style |             |             | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|---|--------------------|------------|-------------|-------------|---|-------------|-----------|
|   |                    | No.        | Case Finish | Plate Color |   |             |           |
| 42837   | Flat Front Piano   | 6          | Oak (black) | Green       | 10 Tune (shaft drive).                      | ----        | ----      |
| Instrumentation: 44-note piano with mandolin attachment.  |                    |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Large vertical rewind pneumatic with 2 unit valves; next to roll frame. Plays 44-Note Piano music rolls. |                    |            |             |             |   |             |           |
| Pump Type: Late high speed vacuum pump, two separate double-acting bellows with crankshaft in framework.  |                    |            |             |             |   |             |           |
| Art Glass: Art Glass replaced with clear glass, along with bottom panel.  |                    |            |             |             |   |             |           |
| Comments: Located in the Knotts Berry Farm arcade (as reported in September of 2014).   |                    |            |             |             |   |             |           |
| 42861   | Violin-Flute Piano | --         | Oak         | Green       | 10 Tune (belt drive).                       | ----        | 1920      |
| Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes. Castanets added.   |                    |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with 2 unit valves; next to roll frame. Plays 44-Note Piano music rolls.  |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base w/tall spacer block. 6-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabot.  |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.  |                    |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.   |                    |            |             |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.   |                    |            |             |             |   |             |           |
| 44112   | S 65-Note Piano    | --         | Golden Oak  | Gold        | 10 Tune (belt drive).                       | ----        | ----      |
| Instrumentation: Piano with mandolin attachment. Snare and bass drum added.   |                    |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Pump moving-board finger engages trip lever triggered by small pneumatic. Plays 65-Note APP music rolls.  |                    |            |             |             |   |             |           |
| Pump Type: High speed belted vacuum pump, two separate double-acting bellows, overhead crankshaft, attached vacuum reservoir.   |                    |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot.  |                    |            |             |             |   |             |           |
| Art Glass: Long geometric art glass window.   |                    |            |             |             |   |             |           |
| Comments: All player components located above keyboard (except for added drums), with roll frame mounted on left with pump mounted to the right. Coin entry on left side of case.       |                    |            |             |             |   |             |           |
| 44927   | I 65-Note Piano    | --         | -----       | -----       | Unknown roll mechanism.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.  |                    |            |             |             |   |             |           |
| Plays 65-Note APP music rolls.  |                    |            |             |             |   |             |           |
| Comments: Case restored; internal mechanisms not restored.  |                    |            |             |             |   |             |           |
| 45151   | Bijou Orchestra    | --         | Mission Oak | -----       | Roll Changer, No. 4109.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment, violin pipes, xylophone and snare drum.  |                    |            |             |             |   |             |           |
| Roll Mechanism: Roll Changer - details unknown. Plays 44-Note Piano music rolls.  |                    |            |             |             |   |             |           |
| Art Glass: Top center panel is a landscape with windmill, side door panels are geometric opalescent glass. Wonder light: Original with Instrument.                                      |                    |            |             |             |   |             |           |

| S/N  | Style Description    | Case Style No. | Case Finish | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|----------------------|----------------|-------------|-------------|---|-------------|-----------|
| 50068  | DX 65-Note w/Pipes   | --             | -----       | -----       | Roll Changer (late-2), No. 4631.            | ----        | 1922      |
| Instrumentation: Piano, with mandolin attachment, violin and flute pipes.  |                      |                |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |                |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Plays 65-Note APP music rolls.   |                      |                |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Note: Small gear standard. 2-1/4" O.D. fiber gear on vertical shaft.   |                      |                |             |             |   |             |           |
| 52833  | IX 65-Note Piano     | --             | -----       | -----       | Roll Changer (late-2), No. 4708.            | ----        | ----      |
| Instrumentation: Piano with mandolin attachment.   |                      |                |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |                |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Plays 65-Note APP music rolls.   |                      |                |             |             |   |             |           |
| 54432  | I 65-Note Piano      | 23             | Golden Oak  | Gold        | 10 Tune (shaft drive), No. 8004.            | ----        | 1924      |
| Instrumentation: Piano with mandolin attachment.   |                      |                |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |                |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive. Rewind Trip: Large vertical rewind pneumatic with 2 unit valves; next to roll frame. Plays 65-Note APP music rolls.  |                      |                |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, SA-BB (Style-BB enclosed). 7-1/4" high. No pulley; shaft never pinned. Note: Oil pan.Motor: Non original motor.   |                      |                |             |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.   |                      |                |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Vertical ratchet slide type accumulator and electrical switch.   |                      |                |             |             |   |             |           |
| Art Glass: Arched floral design art glass panels flanking an oval art glass window with a matching theme.  |                      |                |             |             |   |             |           |
| Comments: Very clean. new motor, needs some pneumatic work. Coin entry on left side of case.   |                      |                |             |             |   |             |           |
| 54526  | IX 65-Note Piano     | --             | Golden Oak  | Gold        | Roll Changer (late-2), No. 3727.            | 5547        | 1924      |
| Instrumentation: Piano with mandolin attachment, and orchestra bells.  |                      |                |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |                |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and flushing valve. Plays 65-Note APP music rolls.                    |                      |                |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, SA-BB (Style-BB enclosed). 7-1/4" high. S/N: 5547. No pulley. Note: Worm Gear Standard nameplate, 51 tooth fiber gear, 3 thread worm, 1150 RPM.Motor: Holtzer-Cabot Electric Co., Model ST18, S/N 447061, 1150 RPM. |                      |                |             |             |   |             |           |
| Pump Type: Movable center-board vacuum bellows, separate reservoir with spill valve.   |                      |                |             |             |   |             |           |
| Coin Switch: Vertical ratchet slide type accumulator and electrical switch.  |                      |                |             |             |   |             |           |
| Comments: Purchased from a collector in Lakeland, Florida.   |                      |                |             |             |   |             |           |
| Owner: Paul Horgan (reported 1/8/2017)   |                      |                |             |             |   |             |           |
| 55068  | Violin-Flute Pianino | --             | Golden Oak  | Green       | Unknown roll mechanism.                     | ----        | ----      |
| Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes.   |                      |                |             |             |   |             |           |
| Plays 44-Note Pianino music rolls.   |                      |                |             |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.   |                      |                |             |             |   |             |           |
| Coin Switch: Vertical ratchet slide type accumulator and electrical switch.  |                      |                |             |             |   |             |           |
| Comments: Coin mechansim includes wooden clamps for dry cell batteries to power remote wall boxes.   |                      |                |             |             |   |             |           |

| S/N   | Style Description    | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|---|----------------------|------------|-------------|-------------|---|-------------|-----------|
|   |                      | No.        | Case Finish |             |   |             |           |
| 55083   | V-F Pianino w/Xylo   | --         | Oak         | Green       | 10 Tune (belt drive).                       | ----        | 1924      |
| Instrumentation: 44-note piano, with mandolin attachment, violin and flute pipes.   |                      |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with 2 unit valves; next to roll frame. Plays 44-Note Pianino music rolls.                |                      |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base w/tall spacer block. 6-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabot.  |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |             |             |   |             |           |
| Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                      |            |             |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.   |                      |            |             |             |   |             |           |
| 57640   | S 65-Note Piano      | --         | Oak         | Gold        | 10 Tune (belt drive).                       | ----        | ----      |
| Instrumentation: Piano with mandolin attachment. Bells.   |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Pump moving-board finger engages trip lever triggered by small pneumatic. Plays 65-Note APP music rolls.                  |                      |            |             |             |   |             |           |
| Pump Type: High speed belted vacuum pump, two separate double-acting bellows, overhead crankshaft, attached vacuum reservoir.   |                      |            |             |             |   |             |           |
| Comments: No external coin slot. Wurlitzer remote coin box attached to upper front of case.   |                      |            |             |             |   |             |           |
| 59000   | Flat Front Pianino   | --         | -----       | ----        | 10 Tune (belt drive).                       | ----        | 1924      |
| Instrumentation: 44-note piano with mandolin attachment.  |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Plays 44-Note Pianino music rolls.   |                      |            |             |             |   |             |           |
| Pump Type: Late high speed vacuum pump, two separate double-acting bellows with crankshaft in framework.  |                      |            |             |             |   |             |           |
| Comments: Spool frame serial number plated over.  |                      |            |             |             |   |             |           |
| 59742   | Violin-Flute Pianino | --         | Oak         | Green       | 10 Tune (belt drive).                       | ----        | 1924      |
| Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes.  |                      |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with 2 unit valves; next to roll frame. Plays 44-Note Pianino music rolls.                |                      |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabot 4-pole, 110 Volt, 9988 motor made for R.W.C.   |                      |            |             |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.  |                      |            |             |             |   |             |           |
| Coin Entry: No provision for coin slot on case. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                      |            |             |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.   |                      |            |             |             |   |             |           |
| Comments: There are no holes in case for a coin slot; may have been originally set up for remote wall box operation.  |                      |            |             |             |   |             |           |
| 59924   | Flat Front Pianino   | 6          | Oak         | Green       | 10 Tune (shaft to belt).                    | ----        | ----      |
| Instrumentation: 44-note piano with mandolin attachment.  |                      |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                      |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, shaft drive to belt drive. Rewind Trip: Large vertical rewind pneumatic with 2 unit valves; next to roll frame. Plays 44-Note Pianino music rolls. |                      |            |             |             |   |             |           |
| Pump Type: Late high speed vacuum pump, two separate double-acting bellows with crankshaft in framework.  |                      |            |             |             |   |             |           |
| Art Glass: Three colored art glass panels in front, two side panels and a center roll access door.  |                      |            |             |             |   |             |           |
| Comments: Found stored on a exterior porch in Shreveport, LA, by Don Teach.   |                      |            |             |             |   |             |           |

| S/N  | Style Description  | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|--------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                    | No.        | Case Finish |             |   |             |           |
| 62816  | IX 65-Note Piano   | 23         | Golden Oak  | Gold        | Roll Changer (late-2).                      | ----        | 1924      |
| Instrumentation: Piano with Mandolin attachment.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays 65-Note APP music rolls. |                    |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Note: Oil pan. Motor: Holtzer-Cabot.   |                    |            |             |             |   |             |           |
| Pump Type: Fixed center-board vacuum bellows, separate reservoir with spill valve.   |                    |            |             |             |   |             |           |
| Art Glass: Arched floral design art glass panels flanking an oval art glass window with a matching theme.  |                    |            |             |             |   |             |           |
| Comments: Coin entry on left side of case.   |                    |            |             |             |   |             |           |
| 66185  | LX Orchestra Piano | --         | -----       | Gold        | Roll Changer (late-2), No. 4879.            | ----        | 1924      |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays 65-Note APP music rolls. |                    |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, Style B (enclosed) - Details Unknown. 7-1/4" high. Note: Small gear standard. 2-1/4" O.D. fiber gear on vertical shaft.   |                    |            |             |             |   |             |           |
| 67565  | AX 65-Note Piano   | --         | Oak         | Green       | Roll Changer (late-2), No. 4993.            | ----        | ----      |
| Instrumentation: Piano with mandolin attachment, one rank of pipes (behind piano sounding board), and bells.   |                    |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays 65-Note APP music rolls. |                    |            |             |             |   |             |           |
| 71601  | IX 65-Note Piano   | --         | -----       | -----       | Roll Changer (late-2), No. 5045.            | ----        | 1925      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays 65-Note APP music rolls. |                    |            |             |             |   |             |           |
| 80298  | V-F Pianino w/Xylo | --         | Fumed Oak   | Gold        | 10 Tune (belt drive).                       | ----        | 1925      |
| Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes, and xylophone.  |                    |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with 2 unit valves; next to roll frame. Plays 44-Note Pianino music rolls.   |                    |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabor.  |                    |            |             |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.   |                    |            |             |             |   |             |           |
| Coin Switch: Ball counting type accumulator and electrical switch.   |                    |            |             |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.  |                    |            |             |             |   |             |           |
| 80480  | IX 65-Note Piano   | --         | Walnut      | -----       | Roll Changer (late-2), No. 5236.            | ----        | 1926      |
| Instrumentation: Piano with mandolin attachment.   |                    |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                    |            |             |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays 65-Note APP music rolls. |                    |            |             |             |   |             |           |
| Art Glass: Has standard AX art glass.  |                    |            |             |             |   |             |           |
| Comments: This was a Solo Violin Piano, but is now a Style AX. Could be a factory conversion.  |                    |            |             |             |   |             |           |

| S/N   | Style Description    | Case Style No. | Case Finish   | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|---|----------------------|----------------|---------------|-------------|---|-------------|-----------|
| 81153   | DX 65-Note w/Pipes   | --             | Weathered Oak | -----       | Roll Changer (late-2), No. 5064.            | ----        | 1925      |
| Instrumentation: Piano with mandolin attachment, violin and flute pipes.  |                      |                |               |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                      |                |               |             |   |             |           |
| Roll Mechanism: Late roll changer (vertical shaft on right side, small tempo knob in front), some pot metal castings. Rewind Trip: Late; upright pin on disk (on vertical shaft) and action cutout valve. Plays 65-Note APP music rolls.        |                      |                |               |             |   |             |           |
| Comments: 8/31/1925.  |                      |                |               |             |   |             |           |
| 82004   | Theater Organ Piano  | --             | -----         | Gold        | Unknown roll mechanism.                     | ----        | ----      |
| Comments: Electro-pneumatic action built to be connected to a Pipe organ. Press operated. Standard piano, cabinet style similar to a Style A coin piano with the keybed removed, but retaining arms and legs. Offered for sale on eBay in 2010. |                      |                |               |             |   |             |           |
| 89850   | Violin-Flute Pianino | --             | Oak           | -----       | 10 Tune (belt drive).                       | ----        | 1926      |
| Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes.  |                      |                |               |             |   |             |           |
| Stack Type: Early valve chest over three pneumatic deck boards.   |                      |                |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Tall Open Gear Standard with triangular cam operated rewind trip lever. Plays 44-Note Pianino music rolls.  |                      |                |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base with Rewind Linkage. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabot.   |                      |                |               |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.  |                      |                |               |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.   |                      |                |               |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.   |                      |                |               |             |   |             |           |
| Comments: Case refinished to black.   |                      |                |               |             |   |             |           |
| 92660   | A 65-Note Piano      | --             | -----         | -----       | 10 Tune roll frame, No. 8879.               | ----        | ----      |
| Instrumentation: Piano with mandolin attachment and one rank of pipes (behind piano sounding board).  |                      |                |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame - details unknown. Plays 65-Note APP music rolls.  |                      |                |               |             |   |             |           |
| 94728   | V-F Pianino w/Xylo   | --             | Walnut        | Gold        | 10 Tune (belt drive), No. 8718.             | ----        | ----      |
| Instrumentation: 44-note piano with mandolin attachment, violin pipes, flute pipes, and xylophone.  |                      |                |               |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                      |                |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with Wurlitzer 4-in-1 pot metal valve. Plays 44-Note Pianino music rolls.   |                      |                |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base w/tall spacer block. 6-3/4" high. 5" O.D. split wooden pulley. Motor: Non original motor.   |                      |                |               |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ball counting type accumulator and electrical switch.   |                      |                |               |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.   |                      |                |               |             |   |             |           |
| 94745   | Violin-Flute Pianino | --             | Oak           | Gold        | 10 Tune (belt drive).                       | ----        | 1926      |
| Instrumentation: 44-note piano with mandolin attachment, and violin and flute pipes.  |                      |                |               |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.  |                      |                |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with Wurlitzer 4-in-1 pot metal valve. Plays 44-Note Pianino music rolls.   |                      |                |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base w/tall spacer block. 6-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabot.  |                      |                |               |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.  |                      |                |               |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ball counting type accumulator and electrical switch.   |                      |                |               |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.   |                      |                |               |             |   |             |           |

| S/N  | Style Description   | Case Style |             | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|---------------------|------------|-------------|-------------|---|-------------|-----------|
|  |                     | No.        | Case Finish |             |   |             |           |
| 96258  | AX 65-Note Piano    | --         | -----       | ----        | Roll Changer, No. 5250.                     | ----        | ----      |
| Instrumentation: Piano with mandolin attachment and one rank of pipes (behind piano sounding board).   |                     |            |             |             |   |             |           |
| Roll Mechanism: Roll Changer - details unknown. Plays 65-Note APP music rolls.   |                     |            |             |             |   |             |           |
| 99719  | W Organette         | --         | Walnut      | Green       | 10 Tune (belt drive), Nos. 236-236.         | 2789        | 1927      |
| Instrumentation: Piano with mandolin attachment, 45 stopped flutes, 37 Quintadena, and 18 large bass pipes.  |                     |            |             |             |   |             |           |
| Stack Type: 2-tier design similar to contemporary player piano stack.  |                     |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame with rewind/fast forward selector, shaft drive. Plays Organette rolls.  |                     |            |             |             |   |             |           |
| Gear Standard: Worm Gear Standard, SA-1B (40-tooth Gear, Style-B enclosed). 7-1/4" high. S/N: 2789. No pulley; shaft never pinned. Note: This is the only 40-tooth fiber gear (about 4-3/16" diameter) worm gear standard, with a 13 to 1 gear ratio, to be observed as of mid 2015. Motor: Holtzer-Cabot #475668, Frame HS16, 110 Volt, 1 Phase, 1/6 HP, 950 RPM, 50 Cycles.  |                     |            |             |             |   |             |           |
| Pump Type: Movable center-board in extra wide vacuum bellows; external blower.   |                     |            |             |             |   |             |           |
| Coin Entry: No provision for coin slot on case. Coin Switch: Electrical switch with electromagnet start and pneumatic shut-off.  |                     |            |             |             |   |             |           |
| Comments: Instead of wood screws the front end of the vacuum pump assembly is held in place by two long bolts extending upwards through the piano's bottom board. Two pipes ranks are mounted behind the soundboard inside the extended piano case, with swell shutters. The rank of large bass pipes is attached to the rear of the cabinet. Paper labels attached to the back of the pinblock indicate that it is a Style W and that the factory set vacuum water guage pressure is 23", and the pipe pressure was set at 6". Organ blower and pressure reservoir would have been installed remotely. 8 manual stop tabs for: Manual, Coupler, Tremolo, Bourdon, Quintadena, Mandolin, and Piano; also 4 manual push buttons for: Start, Stop, Change, and Reroll. |                     |            |             |             |   |             |           |
| 105050   | Theater Organ Piano | --         | -----       | Gold        | Unknown roll mechanism.                     | ----        | ----      |
| Stack Type: Late Pot metal unit valve blocks (Wurlitzer 4-in-1 valve).   |                     |            |             |             |   |             |           |
| Comments: Pratt Read piano action.   |                     |            |             |             |   |             |           |
| 105331   | V-F Pianino w/Xylo  | --         | Oak         | Gold        | 10 Tune (belt drive), No. 8224.             | ----        | 1927      |
| Instrumentation: 44-note piano with mandolin attachment, violin pipes, flute pipes, and xylophone.   |                     |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                     |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with Wurlitzer 4-in-1 pot metal valve. Plays 44-Note Pianino music rolls.  |                     |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base w/tall spacer block. 6-3/4" high. 5" O.D. split wooden pulley. Motor: Non original motor.  |                     |            |             |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.   |                     |            |             |             |   |             |           |
| Coin Entry: Die-cast with vertical slot. Coin Switch: Ratchet wheel type accumulator and electrical switch.  |                     |            |             |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.  |                     |            |             |             |   |             |           |
| Comments: December, 1927. Late case without inlay. Assembled from several incomplete machines. (Wurlitzer Ledger show this as a Style 817 Art Model Studio Piano.)   |                     |            |             |             |   |             |           |
| 105766   | V-F Pianino w/Xylo  | --         | Walnut      | Gold        | 10 Tune (belt drive), No. 8895.             | ----        | 1927      |
| Instrumentation: 44-note piano with mandolin attachment, violin pipes, flute pipes, and xylophone.   |                     |            |             |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                     |            |             |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with Wurlitzer 4-in-1 pot metal valve. Plays 44-Note Pianino music rolls.  |                     |            |             |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base w/tall spacer block. 6-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabot.   |                     |            |             |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.   |                     |            |             |             |   |             |           |
| Coin Entry: Horizontal push-pull slide. Coin Switch: Ball counting type accumulator and electrical switch.   |                     |            |             |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.  |                     |            |             |             |   |             |           |
| Comments: Coin box with electrical switch to operate ball counting coin accumulator.   |                     |            |             |             |   |             |           |



| S/N  | Style Description    | Case Style |               | Plate Color | Roll Mechanism plus Serial Nos. (xxxx-xxxx) | Gear S/N #. | Year Mfd. |
|--|----------------------|------------|---------------|-------------|---|-------------|-----------|
|  |                      | No.        | Case Finish   |             |   |             |           |
| 106117   | V-F Pianino w/Xylo   | --         | Walnut        | Gold        | 10 Tune (belt drive).                       | ----        | 1928      |
| Instrumentation: Piano with mandolin attachment, violin and flute pipes, and xylophone. Snare drum added.  |                      |            |               |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |            |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with 2 unit valves; next to roll frame. Plays 44-Note Pianino music rolls. |                      |            |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Tall Base. 8-3/4" high. 5" O.D. split wooden pulley. Motor: Non original motor.   |                      |            |               |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.   |                      |            |               |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.  |                      |            |               |             |   |             |           |
| 106298   | Flat Front Pianino   | 6          | Weathered Oak | Gold        | 10 Tune (belt drive), No. 8837.             | ----        | 1928      |
| Instrumentation: Piano with mandolin attachment.   |                      |            |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with Wurlitzer 4-in-1 pot metal valve. Plays 44-Note Pianino music rolls.  |                      |            |               |             |   |             |           |
| Pump Type: Late high speed vacuum pump, two separate double-acting bellows with crankshaft in framework.   |                      |            |               |             |   |             |           |
| Coin Entry: Horizontal push-pull slide. Coin Switch: Ball counting type accumulator and electrical switch.   |                      |            |               |             |   |             |           |
| Comments: Standard friction drive/rewind-gear drive to roll frame, belt drive to pump. Push-pull coin slide on side, with unusual coin box with switch to operate ball accumulator.      |                      |            |               |             |   |             |           |
| 106443   | Horse Race Pianino   | --         | Oak           | Gold        | 10 Tune (belt drive), No. 8841.             | ----        | 1928      |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |            |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with Wurlitzer 4-in-1 pot metal valve. Plays 44-Note Pianino music rolls.  |                      |            |               |             |   |             |           |
| Gear Standard: Worm Gear Standard, SA-BB (Style-BB enclosed). 7-1/4" high. 5" O.D. split wooden pulley. Note: Oil pan under gear standard. Motor: Holtzer-Cabot.                         |                      |            |               |             |   |             |           |
| Pump Type: Movable center-board vacuum bellows, separate reservoir with spill valve.   |                      |            |               |             |   |             |           |
| Coin Entry: Not original. Coin Switch: Ball counting type accumulator and electrical switch.   |                      |            |               |             |   |             |           |
| Art Glass: Arched horse race diorama, flanked with floral design half-arched windows.  |                      |            |               |             |   |             |           |
| Comments: Violin-Flute Pianino case. Front mounted coin drop from Preston Evens Auction. Wurlitzer ledger shows this S/N as NOT USED.  |                      |            |               |             |   |             |           |
| 106468   | Violin-Flute Pianino | --         | Fumed Oak     | Gold        | 10 Tune (belt drive), No. 8952.             | ----        | 1928      |
| Instrumentation: 44-note piano with mandolin attachment, violin and flute pipes.   |                      |            |               |             |   |             |           |
| Stack Type: Unit block valves in front of pneumatic deck boards.   |                      |            |               |             |   |             |           |
| Roll Mechanism: 10-tune roll frame, cast iron sides, belt drive. Rewind Trip: Large vertical rewind pneumatic with Wurlitzer 4-in-1 pot metal valve. Plays 44-Note Pianino music rolls.  |                      |            |               |             |   |             |           |
| Gear Standard: No Nameplate, Open Gear Short Base w/tall spacer block. 6-3/4" high. 5" O.D. split wooden pulley. Motor: Holtzer-Cabot 4 pole, 1725 RPM motor.                            |                      |            |               |             |   |             |           |
| Pump Type: Movable center-board combination vacuum/pressure bellows, separate vacuum reservoir with spill valve.   |                      |            |               |             |   |             |           |
| Coin Entry: Horizontal push-pull slide. Coin Switch: Ball counting type accumulator and electrical switch.   |                      |            |               |             |   |             |           |
| Art Glass: Floral art glass design, arched center door with smaller flanking half-arched windows.  |                      |            |               |             |   |             |           |
| Comments: Coin box with electrical switch to operate ball counting accumulator.  |                      |            |               |             |   |             |           |

**End of Report - Total items listed in this report: 172**